

Table 1

Descriptive statistics and correlations between control factors, risk factors, and dependent factors (Pearson's r).

	<i>M</i>	<i>SD</i>	<i>r</i>	1	2	3	4	5	6	7	8	9	10	11
1. Age	42.26	12.54	19-65	-										
2. Sex ¹	-	-	-	-.12*	-									
3. Prior trauma	1.59	1.46	0-10	.09	-.04	-								
4. Prior rob ²	-	-	-	.33**	.05	.11*	-							
5. PDEQ	17.00	7.36	10-45	-.12**	-.23**	.07	-.17**	-						
6. PRS	5.55	7.27	0-43	.05	-.25**	.01	-.11*	.60**	-					
7. TIS	7.67	6.98	0-24	-.11	-.19**	-.06	-.13**	.53**	.48**	-				
8. ASI	10.36	9.36	0-48	-.03	-.08	.02	-.03	.41**	.50**	.36**	-			
9. NCS	32.43	14.27	21-104	-.14	-.21**	.07	-.05	.47**	.49**	.37**	.45**	-		
10. NCW	16.13	7.94	7-46	-.08	-.15**	.04	-.03	.41**	.43**	.29**	.41**	.67**	-	
11. ASDS	34.86	13-53	19-86 ³	-.14	-.27**	.00	-.06	.70**	.63**	.48**	.53**	.59**	.54**	-
12. HTQ	25.23	8.09	17-62	-.09	-.23**	.08	-.01	.47**	.49**	.40**	.43**	.63**	.53**	.68**

Note. *M* = mean, *SD* = standard deviation, *R* = range, PDEQ (Peritraumatic Dissociation Questionnaire), PRS (Physical Reaction Scale), TIS (Tonic Immobility Scale), ASI (Anxiety Sensitivity Index), NCS (negative cognitions about self), NCW (negative cognitions about the world), ASDS (Acute Stress Disorder Scale), HTQ (Harvard Trauma Questionnaire), *N* = 450.

¹0 = females, 1 = males, 60.9 % females, ²0 = no, 1 = yes, 62.9 % previously exposed to robbery. ³ASDS range in victims with ASD = 43-86 (*n* = 53), HTQ range in victims with PTSD = 34-62 (*n* = 27).