



## Psychological strategies to resist slowing down or stopping during endurance activity: An expert opinion paper

Meijen, C., Brick, N., McCormick, A., Lane, A., Marchant, D., Marcora, S., Micklewright, D., & Robinson, D. (2023). Psychological strategies to resist slowing down or stopping during endurance activity: An expert opinion paper. *Sport and Exercise Psychology Review*, 18(1), 4-37. <https://doi.org/10.53841/bpssepr.2023.18.1.4>

[Link to publication record in Ulster University Research Portal](#)

**Published in:**  
Sport and Exercise Psychology Review

**Publication Status:**  
Published (in print/issue): 01/06/2023

**DOI:**  
[10.53841/bpssepr.2023.18.1.4](https://doi.org/10.53841/bpssepr.2023.18.1.4)

**Document Version**  
Author Accepted version

### General rights

The copyright and moral rights to the output are retained by the output author(s), unless otherwise stated by the document licence.

Unless otherwise stated, users are permitted to download a copy of the output for personal study or non-commercial research and are permitted to freely distribute the URL of the output. They are not permitted to alter, reproduce, distribute or make any commercial use of the output without obtaining the permission of the author(s).

If the document is licenced under Creative Commons, the rights of users of the documents can be found at <https://creativecommons.org/share-your-work/cclicenses/>.

### Take down policy

The Research Portal is Ulster University's institutional repository that provides access to Ulster's research outputs. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact [pure-support@ulster.ac.uk](mailto:pure-support@ulster.ac.uk)

**Psychological Strategies to Resist Slowing Down or Stopping during Endurance  
Activity: An Expert Opinion Paper**

Carla Meijen<sup>1</sup> (<https://orcid.org/0000-0003-0191-5344>),  
Noel E. Brick (\*)<sup>2</sup> (<https://orcid.org/0000-0002-3714-4660>),  
Alister McCormick<sup>3</sup> (<https://orcid.org/0000-0001-9666-6998>),  
Andrew M. Lane<sup>4</sup> (<https://orcid.org/0000-0002-8296-1248>),  
David C. Marchant<sup>5</sup> (<https://orcid.org/0000-0002-2601-6794>),  
Samuele M. Marcora<sup>6</sup> (<https://orcid.org/0000-0002-1570-7936>),  
Dominic Micklewright<sup>7</sup> (<https://orcid.org/0000-0002-7519-3252>),  
Daniel T Robinson<sup>4</sup> (<https://orcid.org/0000-0002-4518-0514>)

<sup>1</sup> St Mary's University, Twickenham, London, United Kingdom

<sup>2</sup> Ulster University, United Kingdom

<sup>3</sup> Plymouth Marjon University, United Kingdom

<sup>4</sup> University of Wolverhampton, United Kingdom

<sup>5</sup> Edge Hill University, United Kingdom

<sup>6</sup> University of Bologna, Italy

<sup>7</sup> University of Essex, United Kingdom

\* E-mail address for corresponding author: [n.brick@ulster.ac.uk](mailto:n.brick@ulster.ac.uk)

\* Telephone number for corresponding author: +44 28 70123111

\* Postal address for corresponding author: School of Psychology, Ulster University, Cromore  
Road, Coleraine, Northern Ireland, UK. BT52 1SA.

**Abstract**

Within this paper, we provide an expert opinion on five evidence-based psychological strategies that could help endurance participants overcome slowing down and stopping during performance: goal setting, motivational self-talk, relaxation, distraction, and pacing. We argue that these strategies are well-suited for delivery as brief-contact, educational interventions that could be accessible to large numbers of participants who do not have access to a sport and exercise psychologist. These interventions could be delivered using websites, online videos, workshops, or magazine articles. We propose a novel use for implementation intentions (i.e., if-then planning) to develop endurance participants' conditional knowledge of when to use specific strategies. In addition, although research evidence suggests that these psychological strategies may be efficacious for overcoming thoughts of slowing down or stopping, there are important limitations in the research evidence. In particular, there is a dearth of ecologically valid, field-based effectiveness studies. Finally, we consider situations where attempts to resist slowing down or stopping during endurance activity may not be advisable. Scenarios include when there is an increased likelihood of injury, or when environmental conditions increase the risk of life-threatening events.

**Keywords:** Brief-contact interventions; endurance performance; if-then planning; psychological skills training; self-regulation.

## **Endurance Activity and Resisting Slowing Down or Stopping**

Endurance activities involve performing continuous, dynamic, and whole-body exercise tasks (e.g., running, cycling, swimming, rowing) over middle or long distances, at submaximal intensities (McCormick et al., 2019). Sport (e.g., competitive cycling) and exercise events (e.g., mass-participation running events) that involve endurance are exceptionally popular (e.g., Scheerder et al., 2015), and include participants who range from non-competitive and inexperienced levels through to competitive, elite athletes (McCormick et al., 2020). Endurance participants and athletes often experience thoughts about slowing down significantly (e.g., walking in a running event) or stopping (e.g., momentarily taking a break or quitting the event) during endurance activity (Buman, Omli, et al., 2008; Cooper et al., 2020; Meijen et al., 2018; Schöler & Langens, 2007). Although slowing down or stopping may seem rational behavioural responses to exertion, pain, and discomfort, often such actions are unintentional and have unwelcome effects on performance (Buman, Brewer, et al., 2008). Phenomenological accounts of participants wanting to slow down or stop during endurance activity suggest that, although an unpleasant experience, using specific psychological strategies can help participants resist slowing down or stopping and maintain a higher level of performance (Buman, Brewer, et al., 2008; Cooper et al., 2020).

This expert opinion paper is an output of a British Psychological Society Division of Sport and Exercise Psychology funded Research Working Group. These Working Groups “bring together experts from within a research area to foster greater collaboration” and look to “progress a specific research area within sport and exercise psychology” (British Psychological Society, 2021). The Working Group that wrote this opinion paper

has shared research expertise in the psychology of endurance performance and, within this paper, aimed to progress research and practice in the endurance context.

As such, the purpose of this expert opinion paper is to provide an overview of evidence-based psychological strategies that may help endurance participants to keep going in circumstances where there is no apparent risk of injury, harm, or threat to life. The chosen strategies were agreed based on critical discussion of the evidence base by seven endurance psychology researchers in the Working Group. The Working Group aimed to select and include research on strategies that met the following criteria:

- Psychological strategies
- Deliverable as brief-contact, educational interventions
- Grounded in good quality research evidence (e.g., see the systematic review by McCormick et al., 2015)
- Likely to benefit athletes in the ‘real world’, and unlikely to harm (e.g., increase risk of injury), when delivered as brief-contact, educational interventions

Consequently, we have confined our overview to *psychological* strategies rather than including all interventions such as those deriving from ergogenic aids like caffeine (see Southward et al., 2018 for a review) or behavioural interventions such as listening to music (see Terry et al., 2020 for a review). The focus of this expert opinion paper is on brief-contact, educational, psychological interventions (referred to as brief-contact interventions) that can make evidence-based sport psychology more accessible and implementable. We define brief-contact educational interventions as those providing content that the user should be able to understand in a single session. The consultant’s role is educational, and the intervention can be delivered by sport psychology trainees or individuals with a strong grounding in sport psychology, such as individuals with a (Stage

1) master's degree in sport psychology. This makes brief-contact educational interventions different from approaches such as solution-focused therapy, where although the contact with the practitioner may be limited to one session (e.g., de Shazer et al., 2007) it is expected that the provider of the solution-focused therapy is competent in a counselling model of delivery, which can be expected of sport and exercise psychology practitioners who have further training and experience (e.g., registered Sport and Exercise Psychologists; British Psychological Society, 2018).

Psychological interventions can include teaching psychological strategies, where endurance participants are educated about how the strategy can benefit them in the future (Meijen, 2019). In this overview, when we use the term 'psychological strategies', we refer to a single psychological technique (such as self-talk, goal setting) or a combination of techniques, that can be used systematically to enhance a psychological skill such as attention, coping, or confidence (see also Birrer & Morgan, 2010).

In terms of accessibility, we suggest that brief-contact interventions may benefit endurance participants who do not have access to a sport psychology practitioner for continued sport psychological support (McCormick et al., 2020); this is a consideration particularly relevant to participants in mass-participation events (e.g., major city marathons). Consequently, providing brief-contact interventions may reduce barriers to psychological knowledge and support (Meijen et al., 2017). In terms of implementation, we suggest that evidence-based, brief-contact interventions that require minimal time may—within the sport psychology domain—provide a novel, practical, and wider-reaching approach to positively impact endurance performance (McCormick et al., 2020). Before we appraise brief-contact interventions that can be applied to endurance activity, we first

provide a short overview of why athletes might slow down or stop from a physiological and psychological perspective.

### **Stopping Endurance Exercise: Mind over Muscle?**

In exercise physiology, it has traditionally been assumed that highly motivated people have to slow down or stop during endurance activity because their fatigued neuromuscular system is no longer able to produce the desired power/speed required despite a maximal voluntary effort (Allen et al., 2008; Hepple, 2002). However, in recent years, this assumption has been challenged by studies demonstrating the existence of a significant neuromuscular and bioenergetic reserve after exhaustive endurance exercise (Cannon et al., 2016; Marcora & Staiano, 2010; Morales-Alamo et al., 2015; Staiano et al., 2018). These findings suggest that even highly motivated people reach their “psychological limit” before reaching the limit of their physiological capacity, as originally proposed by Ikai and Steinhaus (1961). More recently, it has been proposed that highly motivated people stop when they perceive their effort as maximal and when continuation of endurance exercise at the desired power/speed seems impossible (Marcora & Staiano, 2010; Staiano et al., 2018). As such, perception of effort is considered a key psychological variable for pacing-related decisions because it is associated with the time people can (or estimate they can) continue to perform endurance exercise at a given intensity (Coart et al., 2012; Horstman et al., 1979). Perception of effort is also sensitive to a variety of factors known to influence the capacity of humans to sustain endurance exercise. These factors include physical training (Ekblom & Goldberg, 1971), muscle fatigue (Marcora et al., 2008), environmental conditions (Levine & Buono, 2019), mental fatigue (Marcora et al., 2009), and stimulants like caffeine (Smirmaul et al., 2017). Furthermore, thoughts about slowing or stopping—termed a

psychological crisis in the endurance performance literature—may occur independently of physiological processes (e.g., due to boredom or self-doubt) and can be managed more effectively using situationally-appropriate psychological strategies (Schüler & Langens, 2007). Therefore, psychological interventions can improve endurance performance by changing how participants perceive their effort, manage discomfort, and regulate their responses to psychological crises to cope with the demands of endurance activity (McCormick et al., 2015).

### **Brief-Contact, Educational Interventions**

Our approach in this paper reflects a psychological skills training model of practice (rather than a counselling or medical model of practice), where the consultant role is educational (rather than clinical), and where the intervention goals or focus broadly relate to the development of psychological skills and benefits to performance (e.g., improving performance time or satisfaction with performance, Poczwadowski et al., 2004). In the context of this opinion paper, we propose that brief-contact, educational interventions consist of psychological strategies delivered in a manner that are easy to learn and subsequently implement. We suggest that brief-contact educational interventions provide content that the user should be able to understand in a single psycho-educational session.

Brief-contact interventions can focus on changing thoughts and feelings experienced during normal, everyday activities (Walton, 2014). As such, brief-contact interventions can be underpinned by self-regulatory processes; that is, ‘self-generated thoughts, feelings, and actions that are planned and cyclically adapted to the attainment of personal goals’ (Zimmerman, 2000, p. 14). When individuals self-regulate, they plan, execute their plans, and subsequently reflect on the effectiveness of those plans



(Zimmerman, 2000). These phases are referred to as the forethought, action, and reflection phases of self-regulation (Zimmerman, 2000). Critically, effective self-regulation requires knowledge of appropriate task strategies (i.e., evidence-based psychological strategies to overcome unhelpful thoughts and behavioural urges) and conditional knowledge of when to use them (Brick et al., 2016; Cleary et al., 2006). In this regard, recent evidence with beginner endurance participants suggests that declarative, procedural, and conditional knowledge of psychological strategies is mostly acquired from other athletes and coaches (Brick et al., 2020). Thus, coupled with a lack of access to sport and exercise psychologists (McCormick et al., 2020), consultancy models focused on establishing a relationship, identifying and formulating the needs of the client, delivering an intervention, and evaluating the service (e.g., Keegan, 2016) may be less likely to reach and benefit this population. Consequently, we feel it is important to draw attention to brief-contact interventions relevant to endurance contexts that are time-limited, action-oriented, and can be shared by people who are not accredited sport and exercise psychologists, including trainee practitioners and appropriately trained coaches, sport scientists, and sport therapists (Giges & Petitpas, 2000; Meijen et al., 2017).

There are a variety of ways to deliver brief educational interventions for endurance participants. Coaches, sport scientists, or sport therapists might include relevant content during face-to-face individual sessions. In addition to these modes of delivery, sport and exercise psychologists may also include content more widely online (e.g., website articles, videos), in print (e.g., magazine articles), and through group workshops (Cotterill & Symes, 2014), and make these resources available to use by coaches, sport scientists, sport therapists, and endurance participants. Brief-contact

interventions have also been delivered using a ‘psyching team’ model involving group workshops and the provision of brief one-to-one support. Psyching teams originated in Northern America and assist endurance participants prior to, during, and/or after mass-participation endurance events through mental skills support (Gibbs-Nicholls et al., 2022; Hays & Katchen, 2006; Meijen et al., 2016). Importantly, these different options complement each other by catering for different participant preferences (McCormick et al., 2020). Moreover, exposing endurance participants to sport psychology may initiate subsequent one-to-one consultancy (Hays & Katchen, 2006) through increased visibility of sport psychology. As such, we do not suggest that brief-contact interventions *replace* individual sport psychology support, but instead can provide a useful *additional* mode of providing sport psychology information in contexts where the support required is performance-driven and non-clinical in nature.

The provision of easily accessible sport psychology information as brief-contact interventions is intuitively appealing. Nevertheless, there remains a need to demonstrate efficacy and effectiveness, and to develop evidence-based resources for intervention content. This is particularly the case for online, social, and print media sources, where non-evidence-based, pseudoscientific misinformation may be prevalent (Bailey et al., 2018). This issue can impact on the quality of intervention content, particularly for sports coaches who commonly use online sources to obtain information about psychological strategies and ‘tips’ (Pope et al., 2015). Similarly, recreational endurance participants have reported a preference for psychological guidance provided through online sources as well as through sport-specific magazines, through their coach, and through event organisers (McCormick et al., 2020). Consequently, we will also critique the evidence for the ‘real-life’ effectiveness of psychological strategies to overcome slowing down and

stopping during endurance activities. Next, based on the expertise of the working group and the criteria set out at the start of this paper, we turn our attention to five evidence-based psychological strategies deliverable as brief-contact, educational interventions: goal setting, motivational self-talk, relaxation, distraction, and pacing, judgement and decision-making. After outlining these psychological strategies, we propose that implementation intentions (i.e., if-then planning) could be used to develop endurance participants' conditional knowledge of when to use specific strategies.

### **Goal Setting**

Most endurance participants appear to engage in goal setting to some extent (Weinberg, 1999). Indeed, it is common for endurance participants to set performance-focused goals to improve, such as completing an event in a personal best time (Hardy & Nelson, 1988; Martin & Gill, 1995; Masters & Ogles, 1998; Ogles & Masters, 2003), and there is experimental evidence for the benefits of this in research involving self-paced (Tenenbaum et al., 1999) and incremental endurance tasks (Theodorakis et al., 1998). Other types of goals typically adopted are outcome goals (e.g., finishing in the top three positions) and process goals (e.g., focused on implementing skills and strategies).

Setting goals can benefit endurance participants by increasing motivation and directing attention. As such, goals play an important role in the regulation of behaviour (Locke & Latham, 1985) and are an essential component of effective self-regulation (Zimmerman, 2000). Goals can, however, also act as stressors (Burton & Naylor, 2002). Specifically, perceived goal difficulty can impact pre-competition states and more difficult goals have been associated with higher pre-competition anxiety in swimming (Hanton & Jones, 1995), middle distance running (Jones et al., 1990), duathlon (Lane et al., 1995a), and triathlon (Lane et al., 1995b) events. Furthermore, goal setting guidelines

suggest that goals should be challenging, yet attainable (Locke & Latham, 1985). The line between attainable and unattainable can be fine, however. Specific to endurance performance, Burdina et al. (2017) noted that when runners went up an age category (specifically runners who moved into the 45-49 and 50-54 age groups), and thus had a challenging, yet more attainable goal to aim for in qualifying for a major marathon (Boston), they seemingly performed better. Thus, it is relevant to consider how to address the setting of goals that are potentially too challenging.

It is also common for individuals to have a time-based (performance) goal (Scholz et al., 2008), that often reflects a personal best, that is, their best ever achievement. Performance goals can be beneficial to shape the training required to achieve a standard; setting the sessions and identifying how a session will be evaluated, for example. This is, however, less useful on race day as an excessive focus on performance goals can take the focus away from the task at hand (i.e., process goals) and does not easily allow for adaptability to changing conditions. Weather conditions, such as high temperatures, for example, have been found to negatively affect goal attainment (Markle et al., 2018). To allow for more flexibility (Gould, 2010), endurance participants can instead plan for more adaptability in their goals, which could involve evaluating the conditions on the day and setting different levels of goals. For example, they can set a ‘dream goal’, which is achievable when the conditions on the day are perfect, a ‘happy goal’ for when conditions are less than optimal, and an ‘acceptable goal’ (i.e., a bare minimum) for when circumstances are not as expected (Day, 2019; Markle et al., 2018; Meijen et al., 2017). On race day, this can reduce pressure when individuals feel that their goal is being threatened (Uphill & Jones, 2007), and help control negative thoughts (e.g., of slowing or stopping), and unhelpful emotional responses such as disappointment (Gaudreau et al.,

2002; Meijen et al., 2017). In this context, ‘open goals’, such as ‘see how fast I can run 5km’ (Swann et al., 2020) can be considered and there is some initial evidence from the physical activity domain to suggest that open goals may facilitate favourable perceptions of performance (Hawkins et al., 2020; Swann et al., 2020). Thus, setting adaptable goals may alleviate performance pressure and benefit participants’ well-being. This is especially important given the link between setting unattainable goals and lower well-being (Nicholls et al., 2016). To illustrate, Beedie et al. (2012) found that when research participants were deceptively informed that they were behind their performance goal, they experienced unpleasant emotions and negative thoughts as a result. However, when the same participants were deceptively informed that they were ahead of their goal, they experienced more pleasant emotions and positive thoughts. An important aspect of this process is that endurance participants make decisions on the relative difficulty of achieving the goal without detail of course condition, which has an impact on pacing decisions. Ensuring flexibility is therefore a key aspect when setting a performance standard as a goal.

As such, we propose that brief-contact goal setting interventions should aim to help athletes move away from focusing too much on one single performance (time-based) or outcome (finishing place) goal that is too challenging. Instead, developing goal flexibility and focussing on more controllable, process goals during an event can increase athletes’ perceptions of control and, in turn, increase the likelihood of experiencing a challenge state that leads to more positively valenced emotions, increased self-regulatory resources, and enhanced decision-making (e.g., pacing; Jones et al., 2009; Meijen et al., 2020). From an applied perspective with endurance participants, however, it is also important to consider that some people may find it difficult to give up personal goals

(Brandstätter et al., 2013), and endurance participants regularly use performance goals to help track their training progress. Thus, another brief-contact goal setting intervention that endurance participants can consider using to prevent a sole focus on outcome and performance goals is to mentally break up a race or long run into pieces, a strategy sometimes called chunking, where participants set a different process goal for each segment (Brick et al., 2016; Brick et al., 2019; McCormick et al., 2019). With regard to conditional knowledge, an endurance participant may focus more on a process goal to regulate their pace during the initial stages of a race to avoid going too fast (see *pacing, judgement and decision-making* section), for example. In contrast, in the latter stages they might set a process goal to maintain motivational self-talk (e.g., “Come on! Keep it going!”) to manage effort, discomfort and to optimise pace.

### **Motivational Self-Talk**

Self-talk refers to what people say to themselves either silently in their head or aloud (Hatzigeorgiadis et al., 2014; Latinjak et al., 2019). This self-talk may relate to wanting to stop or slow down, particularly when performing at a high intensity or for longer durations (McCormick & Hatzigeorgiadis, 2019). Researchers have mostly examined three clusters of self-talk research questions in the endurance context; they have described the self-talk that endurance athletes use, explored the factors that shape and determine endurance participants’ self-talk, and examined the effects of strategically using planned self-talk statements on endurance performance (McCormick & Anstiss, 2020; McCormick & Hatzigeorgiadis, 2019). The latter cluster of research is particularly relevant to this overview, and it provides considerable evidence that using motivational self-talk strategically can benefit endurance performance. Strategic use of motivational self-talk can be taught using brief-contact interventions without in-person support

(McCormick et al., 2018a) and is therefore well suited for brief educational interventions (Brick et al., 2020; McCormick et al., 2020).

Strategic self-talk is a strategy where self-talk statements or cue words are deliberately planned and then used (Latinjak et al., 2019). These self-talk statements can be broadly categorised as instructional self-talk and motivational self-talk. Instructional self-talk refers to when people use self-talk to provide instruction relating to technique or form (e.g., “Drop your shoulders”), strategy (e.g., “Time to pick up the pace”), movement qualities (e.g., “Rhythmic pedalling”), or what to pay attention to (e.g., “Watch them going for the overtake”, Hatzigeorgiadis et al., 2014). Motivational self-talk refers to when people use self-talk to psych up (e.g., “Come on – Let’s do this!”), maximise effort (e.g., “The end’s in sight – One last push!”), build confidence (e.g., “You’re doing great – Keep this up”), or achieve a desired feeling state (e.g., “Feeling good so far”). Experimental research supports the efficacy of motivational self-talk for improving endurance performance. Motivational self-talk has been shown to increase cycling time to exhaustion in normal conditions (Blanchfield et al., 2014) and in the heat (Wallace et al., 2017), improve performance times in a 10 km cycling time trial (Barwood et al., 2015), and increase distance cycled in 30 minutes in the heat (Hatzigeorgiadis et al., 2018). A motivational self-talk intervention did not improve performance in a 60-mile ultramarathon, however, although most participants reported finding the intervention helpful and continued to use it six months after their research commitment (McCormick et al., 2018a). When compared against instructional self-talk, recent evidence showed that motivational self-talk relating to effort improved amateur triathletes’ self-paced, 750m swimming times by 2.8%, whereas instructional self-talk related to pace and movement fluency did not influence performance (de Matos et al., 2021). *How* motivational self-talk

is said may also influence performance. Recent research (Hardy et al., 2019) showed that when recreational exercisers used motivational self-talk in a third-person pronoun perspective (e.g., “You can do this”, “You’re hanging in well”) during a 10 km cycling time trial, they performed 2.2% faster than when they used similar self-talk in a first-person perspective (e.g., “I can do this”, “I’m hanging in well”).

Research findings generally suggest that motivational self-talk is a useful psychological strategy for resisting slowing down or stopping. Particularly relevant to this paper, Schüller and Langens (2007) examined the effects of using self-talk during a psychological crisis in a marathon. They argued that a psychological crisis is characterised by strong desire to give up, and thoughts about the benefits of stopping (e.g., resting, relaxing) and the costs of continuing (e.g., unbearable exhaustion), and typically occurs after 30 km. Schüller and Langens (2007) found that self-talk relating to self-encouragement (e.g., “Stay on. Don’t give up”), anticipation of positive consequences (e.g., “I will be proud of myself if I can do it”), and self-calming (e.g., “Stay calm and you will do it”) were effective at buffering against the negative effects of a crisis on performance for runners who experienced a big psychological crisis. More recently, this was echoed by DeWolfe et al. (2021) who found that adding a challenge-focused self-talk statement to a negative self-talk statement, such as ‘My legs are tired, but I can push through it’, was beneficial in the last five minutes of a 20-minute constant duration test, compared to the negative self-talk statement only.

There is a surprising lack of research examining the effects of instructional self-talk on performance in endurance sports, given that each of the functions of instructional self-talk (i.e., relating to monitoring or controlling technique, form, strategy, movement qualities, and attention) have performance implications (Brick et al., 2014). Brief-contact



cues to help participant relax both before and during activity have received some attention in the endurance literature, however.

## **Relaxation**

One of the earliest qualitative studies to investigate the psychological strategies engaged by endurance athletes suggested that elite runners focused on bodily sensations and used this information to adjust their pace and “relax or stay loose” during competitive events (Morgan & Pollock, 1977, p. 390). Subsequent laboratory-based, experimental studies predominantly investigated the impact of both longer-term and brief-contact relaxation interventions on running economy, a measure defined as the rate of oxygen consumed during submaximal running velocities (Caird et al., 1999; Conley & Krahenbuhl, 1980; Hatfield et al., 1992; Moore, 2016; Smith et al., 1995). Given the focus of the present paper, however, we will only consider those studies that included a relevant outcome (e.g., perception of effort or endurance performance).

Brick et al. (2018) noted moderate reductions in perception of effort and activation (felt arousal) following brief-contact interventions instructing participants either to smile or to use cues to consciously relax their hands and upper-body whilst running in comparison with instructions to frown. These findings suggest that brief-contact relaxation interventions may be efficacious to alter perceptual responses during endurance tasks. Other studies have incorporated brief-contact relaxation techniques (e.g., PMR, centering, and/or directions to monitor breathing and muscular tension during performance) as part of multi-modal intervention packages that also included goal setting and motivational self-talk during running (Barwood et al., 2008; Patrick & Hrycaiko, 1998), swimming (Sheard & Goldby, 2006) and simulated triathlon tasks (Thelwell & Greenlees, 2001, 2003). Although these studies typically demonstrate an improved

performance post-intervention, Thelwell and Greenlees (2003) provided an insight into the impact of relaxation strategies on performance. Specifically, post-task interviews revealed that participants employed breathing strategies pre-event to optimise arousal levels. Optimal arousal can, in turn, assist pace-regulation and help athletes avoid going too fast at the beginning of an event (Lane, Devonport, Friesen, et al., 2016). During the triathlon task, participants used breathing strategies to enhance their focus on process goals and race strategy, to reduce tension, and to reduce their focus on perceptions of pain and effort. Despite this, Barwood et al. (2008) noted that participants in their study rated arousal regulation strategies (i.e., PMR, centering) as the least useful and mental imagery and motivational self-talk as the most useful strategies to optimise running performance in hot conditions.

Collectively, these findings indicate that relaxation strategies during an event may help endurance participants cope with momentary thoughts to slow down or stop by helping to regulate their pace and reduce a focus on effort-related sensory cues and perceptions of effort (Brick et al., 2016; Thelwell & Greenlees, 2003). Finally, with regard to conditional knowledge (i.e., when to use a specific strategy), other relaxation strategies (e.g., brief PMR, centering) may help to optimise an individual's arousal level pre-event and enhance their focus on race strategy. In doing so, pre-event relaxation strategies can reduce the occurrence of tactical errors such as beginning an event at an excessively fast, unsustainable pace (Stanley et al., 2012; Thelwell & Greenlees, 2003), and the consequent experience of unhelpful thoughts about slowing or stopping.

### **Distractive Strategies**

Active distraction strategies (e.g., focusing on attention-demanding puzzles, conversing) are typically associated with a reduction in effort perception in comparison

with a focus on internal bodily sensations (Connolly & Janelle, 2003; Johnson & Siegel, 1992; Stanley et al., 2007, for a review see Brick et al., 2014). In addition to lower perceptions of effort, involuntary distraction (e.g., irrelevant daydreams, environmental scenery) is also associated with increased positive affective states during endurance activities, such as greater enjoyment and elevated mood (Aspinall et al., 2015; LaCaille et al., 2004). The extant literature also suggests that distractive strategies (active or involuntary) are particularly helpful for beginner participants, many of whom may not have acquired the procedural knowledge of active self-regulatory strategies to cope with the demands of endurance activity (Brick et al., 2020; Nietfeld, 2003). Furthermore, active distraction is also a useful strategy for endurance participants during longer-distance, lower-intensity activities (e.g., longer training runs or ultra-distance races) when thoughts about stopping may be precipitated by boredom, for example (Brick et al., 2015; Mooneyham & Schooler, 2013). Whether distractive strategies can help endurance participants cope with thoughts about stopping during higher-intensity endurance activities is questionable, however. Specifically, during higher intensity activity or when sensations of bodily discomfort are elevated over a prolonged duration, evidence suggests that distractive cognitions may be less effective than active self-regulatory strategies (Couture et al., 1999; Ekkekakis, 2009; Lind et al., 2009; Tenenbaum et al., 2008). As such, other psychological strategies presented in this overview, such as motivational self-talk, may be more effective than distraction to overcome thoughts about slowing or stopping during higher-intensity endurance activity.

### **Pacing, Judgement and Decision-Making**

The impact of tactical variations in speed on endurance performance has attracted much research interest over the past several decades (de Koning et al., 1999; Hettinga et

al., 2019). This idea, colloquially referred to as athletic pacing, has been defined as the control or distribution of power output, work, or energy expenditure, often to complete an event in the fastest possible time, having utilised all available resources (de Koning et al., 1999; Foster et al., 2003). Evidence for pacing as an effective strategy is mostly derived from observations of how successful athletes pace themselves in tasks of varying durations (Abbiss & Laursen, 2008; de Koning et al., 2011). Whereas an all-out pacing strategy works with short tasks of less than a minute (de Koning et al., 2011), a pacing strategy that conserves energy is more effective for endurance tasks (Abbiss & Laursen, 2008; St Clair Gibson et al., 2006). As such, if the pace is conservative, then an athlete is less likely to hold perceptions of exertion near to maximum, and, in turn, more likely to avoid experiencing thoughts about stopping in the first place (Brick et al., 2020; Deaner et al., 2015). A negative strategy, involving a slow start and gradually increasing speed, is the most conservative and least risky approach to pacing an endurance event, but probably does not produce the best performance (Thompson et al., 2003). In contrast, using fast-start strategies can deplete metabolic reserves too early (Thompson et al., 2003), are rarely successful (Abbiss & Laursen, 2008; de Koning et al., 2011) and indicate either a lack of experience or poor anticipatory mechanisms (Micklewright et al., 2012). A mixed, parabolic shaped strategy, incorporating a moderate starting speed, slower mid-section and fast finish, often results in faster completion of endurance events (Abbiss & Laursen, 2008) but requires individuals to make risk-based judgements about tolerable starting speed without compromising overall performance (Micklewright et al., 2015).

Physiological factors known to influence pace include core temperature, muscle acidosis, oxygen uptake, and carbohydrate availability (Tucker & Noakes, 2009). Environmental influences on pace include, but are not limited to, ambient temperature

(Tatterson et al., 2000), wind speed (Atkinson & Brunskill, 2000), and terrain (Micklewright et al., 2009). Most pertinent to this overview is the importance of various psychological and social factors that have been associated with pacing behaviours, such as perception of effort (Hampson et al., 2001; Marcora, 2009; Venhorst et al., 2018), previous experience (Micklewright et al., 2010), decision-making (Micklewright et al., 2017; Renfree et al., 2014), visual perception (Parry et al., 2013), information uptake and utilisation (Boya et al., 2017), emotion (Baron et al., 2011; Lane & Wilson, 2011), risk-taking personality traits (Micklewright et al., 2015), and competitor behaviour (Corbett et al., 2012). Such factors provide some evidential basis for brief-contact educational interventions that could help endurance participants of varying abilities develop effective pacing strategies according to the goals they have set themselves to help manage thoughts of slowing down or stopping.

Based on optimal pacing strategies and factors known to influence pacing in endurance activities, several recommendations for brief-contact interventions can be made to minimise behavioural urges to slow or stop. The focus of these pacing strategies can be split into activities before, during, and immediately after an event, which aligns with the self-regulation phases of planning (i.e., forethought), executing a plan (i.e., action), and reflecting on the effectiveness of the plan (Zimmerman, 2000). These skills have been highlighted as particularly important to develop pacing abilities in endurance contexts (Brick et al., 2016; Elferink-Gemser & Hettings, 2017).

Before an event, it might be advantageous to develop knowledge about the course, weather conditions, and, if relevant, likely competitors. A good understanding of the course profile will help develop a pacing strategy appropriate to the demands of the event (Brick et al., 2019) and inform (process) goals for the event. Similarly, the challenges of

478 pacing against other competitors (Corbett et al., 2012) might be diminished with  
479 background research about their relative strengths, weaknesses, and past race strategies.  
480 During the event, subject to thorough pre-race preparation, individuals should be able to  
481 approximate a pacing strategy that best suits their objectives. Monitoring, evaluating, and  
482 adapting pacing is important to prevent errors that increase the risk of significantly  
483 slowing down or stopping later on in the event (Brick et al., 2016; Elferink-Gemser &  
484 Hettings, 2017). As such, tactical errors can be prevented through accurate pace  
485 monitoring of speed, time, and distance using GPS devices or learning particular  
486 landmark cues associated with a course. Furthermore, periodic monitoring of internal  
487 sensory cues (e.g., breathing rate) to inform pace-related decision-making may be a useful  
488 strategy to avoid pacing mistakes and subsequent thoughts about slowing or stopping  
489 (Brick et al., 2015; Brick et al., 2020). As soon after the event as possible, individuals  
490 may wish to mentally re-enact the race perhaps using the course profile or their GPS  
491 output data as a prompt. This is an important way to evaluate pacing, reflect, and update  
492 planning for future endurance events (Brick et al., 2016; Elferink-Gemser & Hettings,  
493 2017). Mental re-enactment could include recalling which sections went well and which  
494 did not go so well, remembering feelings that were experienced at the time, and what  
495 pacing responses, psychological techniques (e.g., self-talk, relaxation) or behavioural  
496 actions were used to cope with unhelpful and unwanted thoughts during performance  
497 (Baker et al., 2005). To complete the self-regulation cycle, these reflections can inform  
498 planning (i.e., forethought) ahead of future endurance activities. More so, an approach to  
499 help individuals effectively engage in self-regulation, especially in the action phase and  
500 during critical performance moments is the formation of implementation intentions  
501 during the forethought phase (Sheeran & Webb, 2016). Implementation intentions, as

applied to overcome thoughts about slowing down or stopping, are considered in the following section.

### **Implementation Intentions**

In this section, we propose a novel use for implementation intentions (i.e., if-then planning) to develop endurance participants' conditional knowledge of when to use specific strategies. Individuals often set goals and engage in strategic planning in the forethought phase of self-regulation. These intentions are, however, not always acted on; that is, they do not automatically convert to behaviour (Heckhausen & Gollwitzer, 1987; Webb et al., 2012). To help reduce the gap between goal intentions (e.g., "I want to keep going at a steady pace") and subsequent actions, individuals can employ implementation intentions, or if-then planning (Gollwitzer, 1999). Specifically, an individual experiencing thoughts of slowing or stopping can reflect on and appraise their situation to identify which psychological strategies are likely to be most effective in regulating their response and maintaining goal pursuit to keep going (the 'then'). As such, implementation intentions support the realisation of goal intentions by specifying when, where, and how goal-directed responses should be initiated. Implementation intentions typically take the form of an explicit plan expressed as, "*If situation X arises, then I will do Y*" (Gollwitzer, 1999; Lane, Devonport, Stanley, et al., 2016; Lane, Totterdell, et al., 2016). If-then plans represent a simple, evidence-based technique to help people act on goal intentions and initiate facilitative actions at the critical juncture to realise goal achievement. The effectiveness of if-then planning lies in the applicability and accessibility of strategic responses during critical performance moments (Gollwitzer, 1999; Lane, Totterdell, et al., 2016).

Although widely researched in health behaviour settings, implementation intentions have not, to date, been extensively applied in the whole-body endurance performance literature (Hirsch et al., 2020; Lane, Devonport, Stanley, et al., 2016; Lane, Totterdell, et al., 2016). We propose that implementation intentions might provide a novel, action-oriented method to enhance the effectiveness of brief-contact psychological strategy interventions in endurance performance contexts. In support, implementation intentions have, for example, been shown to enhance goal attainment and self-regulation of disruptive thoughts and physiological states in other sporting settings such as tennis (Achtziger et al., 2008). Applied to endurance performance contexts, implementation intentions may, for example, be used to adhere to a pre-planned pacing strategy (then) to avoid going too fast at the start of a marathon (if), a common error made by less experienced participants (Deaner et al., 2015). Similarly, a cyclist might plan to use a motivational self-statement (then) if their perception of effort is elevated and their self-talk becomes negative and defeatist (i.e., a psychological crisis; Schöler & Langens, 2007). Recognising situations that can trigger an unhelpful behavioural or emotional response may help endurance athletes self-regulate more effectively using antecedent-focused strategies (McCormick et al., 2018b). Using implementation intentions in this way aligns with the different phases of self-regulation (i.e., forethought, action, and reflection). Specifically, becoming aware of critical situations where thoughts of slowing down or stopping occur (i.e., action and reflection) can help to plan for future situations (i.e., forethought).

Despite these positive assertions, the use of implementation intentions does come with some important caveats that practitioners and coaches should consider. Foremost amongst these is a careful contemplation of the planned-for scenarios. Specifically,



practicing implementation-intentions for situations that are unrealistic or unlikely to occur (i.e., the *if* part) will not be of benefit to the athlete (Brandstätter et al., 2001; Gollwitzer & Oettingen, 2011). Similarly, one should also be cautious about focusing too much on expecting a critical situation to happen (Hirsch et al., 2020). This can potentially place excessive focus on the critical situation and not on more relevant, task-specific processes. In addition, the response to a situation (i.e., the *then* part) needs to be appropriate and should also be carefully considered when planning pre-event (Brandstätter et al., 2001; Gollwitzer & Oettingen, 2011). Specifically, when employing implementation intentions as the basis of a brief-contact intervention, it is essential to encourage the athlete to practice and reflect on the use of a formulated response to update future if-then plans. Furthermore, when considering using psychological strategies as an intervention, it is important to explore the athlete's expectations of success and their goal intention. To illustrate, when an individual expects to be successful, they may have a strong commitment to a strategy or an if-then plan. In contrast, when the expectations of success are low an individual may not commit to a formulated if-then plan (Oettingen & Gollwitzer, 2010).

### **Critique of the Evidence Base**

As highlighted throughout this expert opinion paper, the available research evidence demonstrates that a range of psychological strategies can be used to overcome slowing down or stopping. To further support this contention, we have included a table in Appendix 1 to provide a descriptive overview of each of the intervention studies comprising the evidence-base for the strategies presented in this paper. Whereas the Working Group selected five psychological strategies that are grounded in research evidence, as Appendix 1 highlights, the five strategies vary in the amount of experimental

research that supports their efficacy as brief interventions for improving endurance performance. Notably, pacing, judgement, and decision-making is a highly researched topic in endurance contexts, but there is a lack of intervention studies aiming to improve pacing to benefit outcomes such as performance and quality of experience. Brief-contact educational interventions to improve pacing, judgement, and decision-making (e.g., advice on pacing strategies for participants completing their first mass-participation event) could be valuable. Although the experimental evidence for each strategy varies, there are consistent limitations across the research area that could be considered when interpreting the research evidence.

Specifically, researchers aim to determine if interventions are efficacious, and often approach this using randomised, controlled experiments in laboratory environments. Such efficacy studies occur in different conditions to where athletes perform, however, and, as such, the generalisability of this work to applied settings is unclear from the perspectives of athletes and practitioners. These issues are not unique to sport psychology research and practice and are also prevalent concerns in the broader sport and exercise science domain (Beedie et al., 2015). Few studies have been conducted at actual endurance events with endurance athletes as participants (for exceptions, see Jaenes et al., 2021; McCormick et al., 2018a; Schüller & Langens, 2007). This is an important limitation given that the stressors experienced at real-life events, and how these stressors are appraised, may differ from those typically experienced in laboratory-based research (McCormick et al., 2020). Consequently, event stressors and other antecedents of thoughts about slowing down or stopping may not be fully explicated in the extant literature (Meijen et al., 2018).

In addition, few studies have delivered ecologically valid psychological interventions in endurance settings. This applies to brief-contact interventions, as well as to more personalised and longer-term, ongoing psychological interventions. In relation to this overview, although studies have examined the effects of brief-contact instructions and workbooks, there is a lack of studies examining the effects of interventions delivered as webpages, online videos, workshops, magazine articles, podcasts, or similar (as an exception, see Meijen et al., 2021). We encourage more research that examines the effects of interventions that are delivered in ways that reflect applied sport psychology, for real-life endurance participants. Similarly, we also advocate for studies that consider the broader environment of the endurance athlete, whereby sport psychology practitioners educate coaches, sport scientists, sport therapists, and other professionals on evidence-based, brief-contact intervention strategies that these individuals may, in turn, use with endurance athletes.

Although these points could be addressed using efficacy studies, effectiveness studies are also encouraged (Bishop, 2008) to help determine the effects of interventions when delivered to the target population, within a real-life sport context, and when measuring real-life endurance variables (e.g., performance time at an event or percentage of an event walked). The interventions could be delivered in ways that are preferable to endurance participants or that draw on facilitators to intervention use (e.g., interventions delivered through popular endurance websites; McCormick et al., 2020), and they would need to overcome constraints of the real-life sporting world (e.g., time constraints, coach knowledge constraints; Bishop, 2008). In contrast to the short-term effects typically documented in research, studies could also consider the long-term impact of interventions, such as the effects on performance over the course of months or a

competitive season. Attempts to conduct longer-term, ecologically valid research that has sufficient control remains an extremely challenging task for the academic community, yet is not unprecedented in the wider sport psychology literature (e.g., Senécal et al., 2008). The size of the challenge should not be under-estimated.

Furthermore, as discussed elsewhere (McCormick et al., 2015; McCormick et al., 2019), relatively few intervention studies in the endurance context are theoretically informed. Few have designed interventions, such as brief-contact educational interventions, to target the underpinning intervention-performance mechanisms. Some interventions have been informed by the psychobiological model of endurance performance, and have aimed to reduce perception of effort (Blanchfield et al., 2014). Nevertheless, other psychological constructs such as self-efficacy (Anstiss et al., 2018), self-control and motivation (Taylor et al., 2018), pain (Mauger, 2019), and emotion (McCormick et al., 2015) are relevant to endurance performance. Theoretically informed interventions could target mechanisms underpinning endurance performance, and therefore lead to greater or more consistent intervention effects (McCormick et al., 2015; McCormick et al., 2019). A range of theoretical approaches and frameworks have been suggested to better inform intervention studies in the endurance context (e.g., Brick et al., 2015; McCormick et al., 2019; Micklewright et al., 2017; Renfree et al., 2014; Taylor et al., 2018).

Finally, only a select number of intervention studies included in this overview have taken an interdisciplinary approach (e.g., Barwood et al., 2008; Blanchfield et al., 2014; Smith et al., 1995). For example, Barwood and colleagues (2008) tested the effect of a psychological skills training intervention consisting of goal setting, relaxation, mental imagery, and positive/motivational self-talk on a 90-minute running task in hot

(30°C) conditions. Outcome measures included physiological (e.g., body temperature, sweat production, hormone production) and psychophysiological variables (e.g., ratings of perceived effort, thermal comfort). The findings revealed that participants who received the psychological skills training maintained a faster pace and ran significantly further (8%) post-intervention in comparison with pre-intervention, though physiological measures did not indicate a mechanism underpinning this improvement. Despite the potential challenges of designing interdisciplinary research, we suggest that researchers work using an interdisciplinary approach (e.g., by including physiologists, biomechanists, and psychologists in a research team) as the psychological, biomechanical, and physiological elements of endurance performance interact. This proposition is reinforced by Moore and colleagues (Moore et al., 2019), who recently demonstrated how verbal cues focused either internally (i.e., “run with a flat foot”), externally (i.e., “run quietly”), or combined based on clinical practice (i.e., “we are aiming to change foot strike, so run quietly”) impacted differentially on running kinematics, physiological (e.g., volume of oxygen consumed) and psychophysiological (e.g., rating of perceived effort) responses during six-minute running trials. As such, adopting an interdisciplinary approach will help ensure that the impact of brief educational psychological interventions during endurance activity are fully explored, that best-practice advice considers all aspects of performance, and that risks associated with attempting to overcome thoughts about slowing down or stopping are taken into account. These risks are discussed next.

### **Risks Associated with Attempting to Overcome Thoughts about Slowing Down or Stopping**

The psychological strategies described in this expert opinion paper may appear to have no side effects. However, it is not always advisable to attempt to overcome thoughts

of slowing or stopping, particularly in conditions (e.g. heat exhaustion) that can lead to life-threatening events (e.g., heat stroke) and when continued endurance exercise can aggravate a musculoskeletal injury. In most circumstances, using psychological strategies to overcome thoughts about slowing down or stopping is safe as demonstrated by numerous controlled, experimental studies on the effects of psychological interventions on endurance performance in healthy adults (McCormick et al., 2015). There are, however, real-life situations in which overcoming these behavioural impulses may harm the endurance participant or even lead to their death. In line with the earlier discussion on conditional knowledge, here we provide a brief overview of such situations to help the endurance participant recognise them, and provide references for further reading. When in doubt, help should always be sought from the race medical personnel.

The first condition that can be aggravated by continued endurance exercise is musculoskeletal injury. The sharp and usually localised pain associated with it should not be ignored. On the contrary, it is safe to continue exercising when experiencing the naturally occurring muscle pain caused by lactic acid and other by-products of high-intensity endurance exercise (e.g., whilst cycling a steep hill; Cook et al., 1997; Pollak et al., 2014). Another kind of pain common in endurance exercise with eccentric muscle contractions and/or multiple days of competitions (e.g., ultra-trails) is acute or delayed-onset muscle soreness. Although muscle soreness is normally associated with damage of the muscle fibres, it is still possible to perform endurance exercise safely (Marcora & Bosio, 2007). However, if the endurance participant experiences very severe muscle soreness and/or the urine is of a dark red or brown colour, they should stop and immediately seek medical attention because these are signs and symptoms of acute

exertional rhabdomyolysis. If left untreated, this condition can lead to kidney failure and, in some cases, death (Brudvig & Fitzgerald, 2007).

Another situation that it is not advisable to resist stopping during is when experiencing symptoms of myocardial ischaemia or other acute cardiovascular events that can occur during endurance competitions (Gerardin et al., 2016). Whereas a high heart rate and heavy breathing are normal responses to intense exercise, angina, irregular heartbeats, and severe shortness of breath are not (Hamilton et al., 1995). Although a rare occurrence in running, these symptoms can be associated with more severe events such as sudden cardiac death (e.g., Day & Thompson, 2010). Instead of overcoming these symptoms of an acute cardiovascular event, endurance participants should stop and request immediate medical assistance to prevent further complications and risk (Gerardin et al., 2016).

The last condition that endurance participants should learn to prevent is heat stroke. This condition, defined as a core temperature of  $>40^{\circ}\text{C}$  with central nervous system disturbances (e.g., ataxia and confusion), is associated with significant morbidity and mortality and occurs relatively often in individuals competing in hot and humid environments (Howe & Boden, 2007). Although the use of psychological strategies like motivational self-talk during endurance exercise in the heat have seemed safe in controlled experimental studies (Hatzigeorgiadis et al., 2018; Wallace et al., 2017), there is no doubt that prolonging endurance exercise in people at risk of developing heat stroke may be dangerous (Westwood et al., 2021). The challenge for the endurance performer is to recognise the symptoms of heat exhaustion and stop exercising before it progresses to heat stroke, or plan for challenging environmental conditions to prevent heat exhaustion

from occurring. The symptoms of heat exhaustion are dizziness, malaise, nausea/vomiting, headache, and extreme fatigue (Howe & Boden, 2007).

## **Conclusion**

Research supports the use of a range of psychological strategies to resist slowing down or stopping during endurance activity. We have provided an expert opinion on how brief-contact, educational interventions that draw on research on goal setting, motivational self-talk, relaxation, distraction, and pacing can be used to resist these behavioural urges. We have also proposed that implementation intentions (i.e., if-then plans) offer a structure for using these strategies that fit the endurance context and that can develop individuals' conditional knowledge of when to use specific strategies. We suggest that the content of brief-contact educational interventions could be shared with large populations of endurance athletes, particularly recreational participants, face-to-face by accredited and trainee sport and exercise psychologists and by appropriately trained coaches, sport scientists, and sport therapists. Intervention content can also be shared via alternative media including websites, online videos, workshops, or in magazine articles. Finally, to promote further research in this domain, ecologically-valid efficacy and effectiveness studies are encouraged that examine the effects of psychological strategies on both acute and longer-term outcomes.

## **Compliance with Ethical Standards**

The manuscript does not contain clinical studies or patient data. This work was supported by a British Psychological Society Division of Sport and Exercise Psychology Research Working Group grant award. SM received consulting fees from Edelman/ASICS to work



on an event (Eternal Run) in which the ability to resist the urge to stop or slow down played an essential role.

## References

Abbiss, C. R., & Laursen, P. B. (2008). Describing and understanding pacing strategies during athletic competition. *Sports Medicine*, 38(3), 239-252.

Achtziger, A., Gollwitzer, P. M., & Sheeran, P. (2008). Implementation intentions and shielding goal striving from unwanted thoughts and feelings. *Personality and Social Psychology Bulletin* 34, 381–393.

Allen, D. G., & Lamb, G. D., (2008). Westerblad H. Skeletal muscle fatigue: cellular mechanisms. *Physiology Review*, 88(1), 287-332.

Anstiss, P. A., Meijen, C., & Marcora, S. M. (2018). The sources of self-efficacy in experienced and competitive endurance athletes. *International Journal of Sport and Exercise Psychology*. [Advance online publication].

Aspinall, P., Mavros, P., Coyne, R., & Roe, J. (2015). The urban brain: Analysing outdoor physical activity with mobile EEG. *British Journal of Sports Medicine*, 49, 272-276.

Atkinson, G., & Brunskill, A. (2000). Pacing strategies during a cycling time trial with simulated headwinds and tailwinds. *Ergonomics*, 43(10), 1449-1460.

Bailey, R. P., Madigan, D. J., Cope, E., & Nicholls, A. R. (2018). The prevalence of pseudoscientific ideas and neuromyths among sports coaches. *Frontiers in Psychology*, 9:641.

- 757 Baker, J., Côté, J., & Deakin, J. (2005). Cognitive characteristics of expert middle of the  
758 pack and back of the pack ultra-endurance triathletes. *Psychology of Sport and*  
759 *Exercise*, 6(5), 551-558.
- 760 Baron, B., Moullan, F., Deruelle, F., & Noakes, T. D. (2011). The role of emotions on  
761 pacing strategies and performance in middle and long duration sport events.  
762 *British Journal of Sports Medicine*, 45(6), 511-517.
- 763 Barwood, M. J., Corbett, J., Wagstaff, C. R. D., McVeigh, D., & Thelwell, R. C. (2015).  
764 Improvement of 10-km time-trial cycling with motivational self-talk compared  
765 with neutral self-talk. *International Journal of Sports Physiology Performance*,  
766 10, 166-171.
- 767 Barwood, M., Thelwell, R., & Tipton, M. (2008). Psychological skills training improves  
768 exercise performance in the heat. *Medicine and Science in Sports and Exercise*,  
769 40(2), 398-406.
- 770 Beedie, C. J., Lane, A. M., & Wilson, M. G. (2012). A possible role for emotion and  
771 emotion regulation in physiological responses to false performance feedback in  
772 10 mile laboratory cycling. *Applied Psychophysiology Biofeedback*, 37(4), 269-  
773 277.
- 774 Beedie, C., Mann, S., Jiminez, A., Kennedy, L., Lane, A. M., Domone, S., Wilson, S.,  
775 & Whyte, G. (2015). Death by effectiveness: exercise as medicine caught in the  
776 efficacy trap! *British Journal of Sports Medicine*, 50, 323-324.
- 777 Bishop, D. (2008). An applied research model for the sport sciences. *Sports Medicine*,  
778 38(3), 253-263.

- Blanchfield, A. W., Hardy, J., de Morree, H. M., Staiano, W., & Marcora, S. M. (2014). Talking yourself out of exhaustion: the effects of self-talk on endurance performance. *Medicine and Science in Sports and Exercise*, 46, 998–1007.
- Boya, M., Foulsham, T., Hettinga, F., Parry, D., Williams, E., Jones, H., Sparks, A., Marchant, D., Ellison, P., Bridge, C., McNaughton, L., & Micklewright, D. (2017). Information acquisition differences of experienced and novice time trial cyclists. *Medicine and Science in Sport and Exercise*, 49(9), 1884-1898.
- Brandstätter, V., Herrmann, M., & Schöler, J. (2013). The struggle of giving up personal goals. *Personality and Social Psychology Bulletin*, 39(12), 1668-1682.
- Brandstätter, V., Lengfelder, A., & Gollwitzer P. M. (2001). Implementation intentions and efficient action initiation. *Journal Personality Social Psychology*, 81(5), 946-960.
- Brick, N. E., Campbell, M. J., Sheehan, R. B., Fitzpatrick, B. L., & MacIntyre, T. E. (2020). Metacognitive processes and attentional focus in recreational endurance runners. *International Journal of Sport and Exercise Psychology*, 18(3), 362-379.
- Brick, N. E., Fitzpatrick, B. L., Turkington, R., & Mallett, J. C. (2019). Anticipated task difficulty provokes pace conservation and slower running performance. *Medicine and Science in Sport and Exercise*, 51(4), 734-743.
- Brick, N. E., MacIntyre, T. E., & Campbell, M. J. (2016). Thinking and action: a cognitive perspective on self-regulation during endurance performance. *Frontiers in Physiology*, 7:159
- Brick, N. E., McElhinney, M. J., & Metcalfe, R. S. (2018). The effects of facial expression and relaxation cues on movement economy, physiological, and

perceptual responses during running. *Psychology of Sport and Exercise*, 34, 20-28.

Brick, N., MacIntyre, T., & Campbell, M. (2014). Attentional focus in endurance activity: New paradigms and future directions. *International Review of Sport and Exercise Psychology*, 7, 106–34.

Brick, N., MacIntyre, T., & Campbell, M. (2015). Metacognitive processes in the self-regulation of performance in elite endurance runners. *Psychology of Sport and Exercise*, 19, 1-9.

British Psychological Society. (2018). *Qualification in Sport and Exercise Psychology (Stage 2) Candidate Handbook*. <https://www.bps.org.uk/qualifications/sport-exercise-psychology/candidates>

British Psychological Society. (2021). *Division of Sport and Exercise Psychology: Awards & Funding / BPS*. [online] Available at: <<https://www.bps.org.uk/member-microsites/division-sport-exercise-psychology/awards-funding>> [Accessed 14 June 2021].

Brudvig, T. J., & Fitzgerald, P. I. (2007). Identification of signs and symptoms of acute exertional rhabdomyolysis in athletes: A guide for the practitioner. *Strength and Conditioning Journal*, 29(1), 10-14.

Buman, M. P., Omli, J. W., Giacobbi Jr., P. R., & Brewer, B. W. (2008). Experiences and coping responses of “hitting the wall” for recreational marathon runners. *Journal of Applied Sport Psychology*, 20, 282-300.

Buman, M. P., Brewer, B. W., Cornelius, A. E., Van Raalte, J. L., & Petitpas, A. J. (2008). Hitting the wall in the marathon: Phenomenological characteristics and

- 825            associations with expectancy gender and running history. *Psychology of Sport*  
826            *and Exercise*, 9(2),
- 827    Burdina, M., Hiller, R. S., & Metz, N. E. (2017). Goal attainability and performance:  
828            Evidence from Boston marathon qualifying standards. *Journal of Economic*  
829            *Psychology*, 58, 77-88.
- 830    Burton, D., & Naylor, S. (2002). The Jekyll/Hyde nature of goals: revisiting and  
831            updating goal setting in sport. In T. Horn (Ed). *Advances in sport psychology*.  
832            Champaign IL: Human Kinetics. pp. 267-97.
- 833    Caird, S. J., McKenzie, A. D., & Sleivert, G. G. (1999). Biofeedback and relaxation  
834            techniques improve running economy in sub-elite long distance runners.  
835            *Medicine and Science in Sports and Exercise*, 31, 717-722.
- 836    Cannon, D. T., Coelho, A. C., Cao, R., Cheng, A., Porszasz, J., Casaburi, R., &  
837            Rossiter, H. B. (2016). Skeletal muscle power and fatigue at the tolerable limit of  
838            ramp-incremental exercise in COPD. *Journal of Applied Physiology*, 121(6),  
839            1365–1373.
- 840    Cleary, T. J., Zimmerman, B. J., & Keating, T. (2006). Training physical education  
841            students to self-regulate during basketball free throw practice. *Research*  
842            *Quarterly in Exercise and Sport*, 77, 251–262.
- 843    Conley, D. L., & Krahenbuhl, G. S. (1980). Running economy and distance running  
844            performance of highly trained athletes. *Medicine and Science in Sports and*  
845            *Exercise*, 12(5), 357-360.

Connolly, C. T., & Janelle, C. M. (2003). Attentional strategies in rowing: performance, perceived exertion, and gender considerations. *Journal of Applied Sport Psychology, 15*, 195-212.

Cook, D. B., O'Connor, P. J., Eubanks, S. A., Smith, J. C., & Lee, M. (1997). Naturally occurring muscle pain during exercise: assessment and experimental evidence. *Medicine and Science in Sports and Exercise, 29*(8), 999-1012.

Cooper, K. B., Wilson, M. R., & Jones, M. I. (2020). Fast talkers? Investigating the influence of self-talk on mental toughness and finish times in 800-meter runners. *Journal of Applied Sport Psychology*, advance online publication.

Coquart, J. B., Eston, R. G., Noakes, T. D., Tourny-Chollet, C., L'hermette, M., Lemaitre, F., & Garcin, M. (2012). Estimated time limit: a brief review of a perceptually based scale. *Sports Medicine, 42*(10), 845-855.

Corbett, J., Barwood, M. J, Ouzounoglou, A., Thelwell, R., & Dicks, M. (2012). Influence of competition on performance and pacing during cycling exercise. *Medicine and Science in Sport and Exercise, 44*(3), 509-515.

Cotterill, S., & Symes, R. (2014). Integrating social media and new technologies into your practice as a sport psychology consultant. *Sport and Exercise Psychology Review, 10*(1), 55-64.

Couture, R. T., Jerome, W., & Tihanyi, J. (1999). Canadian associative and dissociative strategies affect the swimming performance of recreational swimmers? *The Sport Psychologist, 13*, 334-343.

Day, C. (2019) Application to recreational settings: working with the public, psyching team activities and suggestions. In C. Meijen (Ed). *Endurance performance in*

*sport: psychological theory and interventions*. Oxon UK: Routledge. pp. 201-211.

Day, S. M., & Thompson, P. D. (2010). Cardiac risks associated with marathon running. *Sports Health*, 2(4), 301–306.

de Koning, J. J., Bobbert, M. F., & Foster, C. (1999). Determination of optimal pacing strategy in track cycling with an energy flow model. *Journal of Science and Medicine in Sport*, 2(3), 266-277.

de Koning, J. J., Foster, C., Bakkum, A., Kloppenburg, S., Thiel, C., Joseph, T., Cohen, J., & Porcari, J. P. (2011). Regulation of pacing strategy during athletic competition. *PLOS one*, 6(1), e15863.

de Matos, L. F., Bertollo, M., Stefanello, J. M. F., Pires, F. O., da Silva, C. K., Nakamura, F. Y., & Pereira, G. (2021). Motivational self-talk improves time-trial swimming endurance performance in amateur European triathletes. *International Journal of Sport and Exercise Psychology*, 19(3), 446-459.

de Shazer, S., Dolan, Y., Korman, H., McCollum, E., Trepper, T., & Berg, I. K. (2007). *More than miracles: The state of the art of solution-focused brief therapy*. Haworth Press.

Deaner, R. O., Carter, R. E., Joyner, M. J., & Hunter, S. K. (2015). Men are more likely than women to slow in the marathon. *Medicine and Science in Sports and Exercise*, 47, 607–616.

DeWolfe, C. E. J., Scott, D., & Seaman, K. A. (2021). Embrace the challenge: Acknowledging a challenge following negative Self-Talk improves performance. *Journal of Applied Sport Psychology*, 33(5), 527-540.

- Dinsmore, D. L., Alexander, P. A., & Loughlin, S. M. (2008). Focusing the conceptual lens on metacognition, self-regulation, and self-regulated learning. *Educational Psychology Review*, 20, 391-409.
- Ekblom, B., & Goldberg, A. N. (1971). The influence of physical training and other factors on the subjective rating of perceived exertion. *Acta Physiologica Scandinavica*, 83(3), 399-406.
- Ekkekakis, P. (2009). The Dual-Mode Theory of affective responses to exercise in metatheoretical context: II. Bodiless heads, ethereal cognitive schemata, and other improbable dualistic creatures, exercising. *International Review of Sport and Exercise Psychology*, 2, 139-160.
- Elferink-Gemser, M. T., & Hettinga, F. J. (2017). Pacing and self-regulation: Important skills for talent development in endurance sports. *International Journal of Sports Physiology Performance*, 12(6), 831-835.
- Forgas, J. P., Baumeister, R. F., & Tice, D. M. (2009). Psychology of self-regulation: an introductory review. In J. P. Forgas, R. F. Baumeister, & D. M. Tice (Eds). *Psychology of self-regulation: cognitive affective and motivational processes*. Psychology Press. pp. 1-17.
- Foster, C., De Koning, J. J., Hettinga, F., Lampen, J., La Clair, K. L., Dodge, C., Bobbert, M., & Porcari, J. P. (2003). Pattern of energy expenditure during simulated competition. *Medicine and Science in Sports and Exercise*, 35, 826-831.



- Freudenheim, A. M., Wulf, G., Madureira, F., Pasetto, S. C., & Corrêa, U. C. (2010).  
An external focus of attention results in greater swimming speed. *International  
Journal of Sports Science Coaching*, 5(4), 533-542.
- Gaudreau, P., Blondin, J. P., & Lapierre, A. M. (2002). Athletes' coping during a  
competition: relationship of coping strategies with positive affect negative affect  
and performance-goal discrepancy. *Psychology of Sport and Exercise*, 3, 125-  
150.
- Gerardin, B., Collet, J.-P., Mustafic, H., Bellemain-Appaix, A., Benamer, H., Monsegu,  
J., Teiger, E., Livarek, B., Jaffry, M., Lamhaut, L., Fleischel, C., Aubry, P., &  
Groupe de Réflexion sur la Cardiologie Interventionnelle. (2016). Registry on  
acute cardiovascular events during endurance running races: the prospective  
RACE Paris registry. *European Heart Journal*, 37(32), 2531–2541.
- Gibbs-Nicholls, S., McCormick, A., & Coyle, M. (2022). “Keep the pace! You’ve got  
this!”: The content and meaning of impactful crowd encouragement at mass  
running events. *The Sport Psychologist*, 36, 115-127.
- Giges, B., & Petitpas, A. (2000). Brief contact interventions in sport psychology. *The  
Sport Psychologist*, 14(2), 176-187.
- Gollwitzer, P. M. (1999). Implementation intentions: Strong effects of simple plans.  
*American Psychologist*, 54, 493-503.
- Gollwitzer, P. M., & Oettingen, G. (2011). Planning promotes goal-striving. In K. D.  
Vohs, & R. F. Baumeister (Eds). *Handbook of self-regulation: research theory  
and applications*. New York NY: The Guilford Press. pp. 162-185.

- Gould, D. (2010). Goal setting for peak performance. In J. M. Williams (Ed). *Applied sport psychology: personal growth to peak performance*. New York: McGraw-Hill. pp. 201-20.
- Grant, M. J., & Booth, A. (2009). A typology of reviews: An analysis of 14 review types and associated methodologies. *Health Information and Libraries Journal*, 26(2), 91-108.
- Gross, J. J., & Thompson, R. A. (2007). Emotion regulation: conceptual foundations. In J. J. Gross (Ed). *Handbook of emotion regulation*. New York: Guilford. pp. 3–26.
- Hamilton, A. L., Killian, K. J., Summers, E., & Jones, N. L. (1995). Muscle strength symptom intensity and exercise capacity in patients with cardiorespiratory disorders. *American Journal of Respiratory and Critical Care Medicine*, 152(6 Pt 1), 2021-2031.
- Hampson, D. B., St Clair Gibson, A., Lambert, M. I., & Noakes, T. D. (2001). The influence of sensory cues on the perception of exertion during exercise and central regulation of exercise performance. *Sports Medicine*, 31(13), 935-952.
- Hanton, S, & Jones, G. (1995). Antecedents of multidimensional state anxiety in elite competitive swimmers. *International Journal of Sport Psychology*, 26(4), 512-523.
- Hardy, J., Thomas, A. V., & Blanchfield, A. W. (2019). To me to you: How you say things matters for endurance performance. *Journal of Sports Science*, 37(18), 2122-2130.

Hardy, L., & Nelson, D. (1988). Self-regulation training in sport and work. *Ergonomics*, 31(11), 1573–83.

Hatfield, B. D., Spalding, T. W., Mahon, A. D., Slater, B. A., Brody, E. B., & Vaccaro, P. (1992). The effect of psychological strategies upon cardiorespiratory and muscular activity during treadmill running. *Medicine and Science in Sports and Exercise*, 24, 218-225.

Hatzigeorgiadis, A., Bartura, K., Argiropoulos, C., Comoutos, N., Galanis, E., & Flouris, A. D. (2018). Beat the heat: effects of a motivational self-talk intervention on endurance performance. *Journal of Applied Sport Psychology*, 30, 388–401.

Hatzigeorgiadis, A., Zourbanos, N., Latinjak, A., & Theodorakis, Y. (2014). Self-talk. In A. Papaioannou, & D. Hackfort (Eds). *Routledge companion to sport and exercise psychology: global perspectives and fundamental concepts*. London England: Taylor Francis. pp. 370-83.

Hawkins, R. M., Crust, L., Swann, C., & Jackman, P. C. (2020). The effects of goal types on psychological outcomes in active and insufficiently active adults in a walking task: Further evidence for open goals. *Psychology of Sport and Exercise*, 48, 101661.

Hays K. F, & Katchen K. (2006). Reaching out reaching in: Two examples of public education. *Professional Psychology: Research and Practice*, 37(2), 119-124.

Heckhausen, H., & Gollwitzer, P. M. (1987). Thought contents and cognitive functioning in motivational versus volitional states of mind. *Motivation and Emotion*, 11(2), 101-120.

- 980 Hepple, R. T. (2002). The role of O<sub>2</sub> supply in muscle fatigue. *Canadian Journal of*  
981 *Applied Physiology*, 27(1), 56-69.
- 982 Hettinga, F. J., Edwards, A. M., & Hanley, B. (2019). The science behind competition  
983 and winning in athletics: using world-level competition data to explore pacing  
984 and tactics. *Frontiers in Sports and Active Living*, 1:11.
- 985 Hirsch, A., Bieleke, M., Schüller, J., & Wolff, W. (2020). Implicit theories about athletic  
986 ability modulate the effects of if-then planning on performance in a standardized  
987 endurance task. *International Journal of Environmental Research and Public*  
988 *Health*, 17(7), 2576.
- 989 Hopkins, W. G., Schabort, E. J., & Hawley, J. A. (2001). Reliability of power in  
990 physical performance tests. *Sports Medicine*, 31, 211–234
- 991 Horstman, D. H., Morgan, W. P., Cymerman, A., & Stokes, J. (1979). Perception of  
992 effort during constant work to self-imposed exhaustion. *Perceptual and Motor*  
993 *Skills*, 48(3), 1111-1126.
- 994 Howe, A. S., & Boden, B. P. (2007). Heat-related illness in athletes. *American Journal*  
995 *of Sports Medicine*, 35(8), 1384-1395.
- 996 Ikai, M., & Steinhaus, A. H. (1961). Some factors modifying the expression of human  
997 strength. *Journal of Applied Physiology*, 16, 157-163.
- 998 Ivanova, E., Jensen, D., Cassoff, J., Gu F., & Knauper, B. (2014). Acceptance and  
999 Commitment Therapy Improves Exercise Tolerance in Sedentary Women.  
1000 *Medicine and Science in Sport and Exercise*, 47, 1251-1258.

- 1001 Jaenes, J. C., Wilczyńska, D., Alarcón, D., Peñaloza, R., Casado, A., & Trujillo M.  
1002 (2021) The Effectiveness of the Psychological Intervention in Amateur Male  
1003 Marathon Runners. *Frontiers in Psychology*, 12:605130.
- 1004 Johnson, J. H., & Siegel, D. S. (1992). Effects of association and dissociation on effort  
1005 perception. *Journal of Sport Behavior*, 15(2), 119-129.
- 1006 Jones, H. S., Williams, E. L., Bridge, C. A., Marchant, D., Midgley, A. W.,  
1007 Micklewright, D., & McNaughton, L. R. (2013). Physiological and  
1008 psychological effects of deception on pacing strategy and performance: a review.  
1009 *Sports Medicine*, 43(12), 1243-1257.
- 1010 Jones, J. G, Swain, A., & Cale, A. (1990). Antecedents of multidimensional competitive  
1011 state anxiety and self-confidence in elite intercollegiate middle-distance runners.  
1012 *The Sport Psychologist*, 4, 107-118.
- 1013 Jones, M. V., Meijen, C., McCarthy, P. J., & Sheffield, D. (2009). A theory of challenge  
1014 and threat states in athletes. *International Review of Sport and Exercise*  
1015 *Psychology*, 2, 161–180.
- 1016 Keegan, R. (2016). *Being a sport psychologist*. London, UK: Palgrave Macmillan.
- 1017 LaCaille, R. A., Masters, K. S., & Heath, E. M. (2004). Effects of cognitive strategy and  
1018 exercise setting on running performance, perceived exertion, affect, and  
1019 satisfaction. *Psychology of Sport and Exercise*, 5, 461-476.
- 1020 Lane, A. M., & Wilson, M. (2011). Emotions and trait emotional intelligence among  
1021 ultra-endurance runners. *Journal of Science and Medicine in Sport*, 14(4), 358-  
1022 362.

- 1023 Lane, A. M., Devonport, T. J., Friesen, A. P., Beedie, C. J., Fullerton, C. L., & Stanley,  
1024 D. M. (2016). How should I regulate my emotions if I want to run faster?  
1025 *European Journal of Sports Science*, 16(4), 465-472.
- 1026 Lane, A. M., Devonport, T. J., Stanley, D. M., & Beedie, C. J. (2016). The effects of  
1027 brief online self-help intervention strategies on emotions and satisfaction with  
1028 running performance. *Sensoria: A Journal of Mind Brain & Culture*, 12(2), 30-  
1029 39.
- 1030 Lane, A. M., Terry, P. C., & Karageorghis, C. I. (1995a). Antecedents of  
1031 multidimensional competitive state anxiety and self-confidence in duathletes.  
1032 *Perceptual and Motor Skills*, 80(3), 911-919.
- 1033 Lane, A. M., Terry, P. C., & Karageorghis, C. I. (1995b). Path analysis examining  
1034 relationships among antecedents of anxiety, multidimensional state anxiety, and  
1035 triathlon performance. *Perceptual and Motor Skills*, 81(3 suppl), 1255-1266.
- 1036 Lane, A. M., Totterdell, P., MacDonald, I., Devonport, T. J., Friesen, A. P., Beedie, C.  
1037 J., Stanley, D., & Nevill, A. (2016). Brief online training enhances competitive  
1038 performance: findings of the BBC Lab UK psychological skills intervention  
1039 study. *Frontiers in Psychology*, 7:413.
- 1040 Latinjak, A. T., Hatzigeorgiadis, A., Comoutos, N., & Hardy, J. (2019). Speaking  
1041 clearly ... 10 years on: The case for an integrative perspective of self-talk in  
1042 sport. *Sport and Exercise Performance Psychology*, 8, 353–367.
- 1043 Levine, A., & Buono, M. J. (2019). Rating of perceived exertion increases  
1044 synergistically during prolonged exercise in a combined heat and hypoxic  
1045 environment. *Journal of Thermal Biology*, 84, 99-102.

- 1046 Lind, E., Welch, A. S., & Ekkekakis, P. (2009). Do ‘mind over muscle’ strategies work?  
1047 *Sports Medicine*, 39, 743-764.
- 1048 Locke, E. A., & Latham, G. P. (1985). The application of goal setting to sports. *Journal*  
1049 *of Sport Psychology*, 7(3), 205-222.
- 1050 Marcora, S. (2009). Perception of effort during exercise is independent of afferent  
1051 feedback from skeletal muscles heart and lungs. *Journal of Applied Physiology*,  
1052 106(6), 2060-2062.
- 1053 Marcora, S. M., & Bosio, A. (2007). Effect of exercise-induced muscle damage on  
1054 endurance running performance in humans. *Scandinavian Journal of Medicine*  
1055 *and Science in Sports*, 17(6), 662-671.
- 1056 Marcora, S. M., & Staiano, W. (2010). The limit to exercise tolerance in humans: mind  
1057 over muscle? *European Journal of Applied Physiology*, 109(4), 763-770.
- 1058 Marcora, S. M., Bosio, A., & de Morree, H. M. (2008). Locomotor muscle fatigue  
1059 increases cardiorespiratory responses and reduces performance during intense  
1060 cycling exercise independently from metabolic stress. *American Journal of*  
1061 *Physiology Regulatory, Integrative and Comparative Physiology*, 294(3), R874-  
1062 R883.
- 1063 Marcora, S. M., Stanio, W., & Manning, V. (2009). Mental fatigue impairs physical  
1064 performance in humans. *Journal of Applied Physiology*, 106(3), 857-864.
- 1065 Markle, A., Wu, G., White, R., & Sackett, A. (2018). Goals as reference points in  
1066 marathon running: a novel test of reference dependence. *Journal of Risk and*  
1067 *Uncertainty*, 56(1), 19-50.

- 1068 Martin, J. J., & Gill, D. L. (1995). The relationships of competitive orientations and  
1069 self-efficacy to goal importance thoughts and performance in high school  
1070 distance runners. *Journal of Applied Sport Psychology*, 7, 50–62.
- 1071 Masters, K. S., & Ogles, B. M. (1998). The relations of cognitive strategies with injury  
1072 motivation and performance among marathon runners: results from two studies.  
1073 *Journal of Applied Sport Psychology*, 10(2), 281-296.
- 1074 Mauger, A. R. (2019). Exercise-induced pain: A psychophysiological perspective. In  
1075 C. Meijen (Ed). *Endurance performance in sport: psychological theory and*  
1076 *interventions*. Oxon UK: Routledge. pp. 35–46.
- 1077 McCormick, A., Anstiss, P. A., & Lavallee, D. (2020). Endurance athletes' current and  
1078 preferred ways of getting psychological guidance. *International Journal of Sport*  
1079 *and Exercise Psychology*, 18, 187-200.
- 1080 McCormick, A., & Anstiss, P. (2020). Self-talk and endurance sports. In A.T. Latinjak &  
1081 A. Hatzigeorgiadis (Eds.). *Self-talk in sport* (pp. 176-187). Abingdon, England:  
1082 Routledge.
- 1083 McCormick, A., & Hatzigeorgiadis, A. (2019). Self-talk and endurance performance. In  
1084 C. Meijen (Ed.), *Endurance performance in sport: Psychological theory and*  
1085 *interventions* (pp. 153-167). Abingdon, England: Routledge.
- 1086 McCormick, A., Meijen, C., & Marcora, S. (2015). Psychological determinants of  
1087 whole-body endurance performance. *Sports Medicine*, 45, 997-1015.
- 1088 McCormick, A., Meijen, C., & Marcora, S. (2018a). Effects of a motivational self-talk  
1089 intervention for endurance athletes completing an ultramarathon. *The Sport*  
1090 *Psychologist*, 32, 42–50.



- 1091 McCormick, A., Meijen, C., & Marcora, S. (2018b). Psychological demands  
1092 experienced by recreational endurance athletes. *International Journal of Sport*  
1093 *and Exercise Psychology*, 16, 415-430.
- 1094 McCormick, A., Meijen, C., Anstiss, P. A., & Jones, H. S. (2019) Self-regulation in  
1095 endurance sports: theory research and practice. *International Review of Sport*  
1096 *and Exercise Psychology*, 12, 235-264.
- 1097 Meijen, C., & McCormick, A. (2019). Pursuing the next challenges: Directions for  
1098 research on the psychology of endurance performance. In C. Meijen (Ed.),  
1099 *Endurance performance in sport: Psychological theory and interventions* (pp.  
1100 212-224). Abingdon, England: Routledge.
- 1101 Meijen, C., Day, C., & Hays, K. F. (2017). Running a psyching team: providing mental  
1102 support at long-distance running events. *Journal of Sport Psychology in Action*,  
1103 8, 12–22.
- 1104 Meijen, C., Lane, A. M., McCormick, A., Brick, N., Micklewright, D., Marchant, D., &  
1105 Marcora, S. (2018) RESIST: Research-evaluated endurance strategies intending  
1106 to support training. Workshop presented at, BPS Division of Sport and Exercise  
1107 Psychology Annual Conference, Belfast, UK.
- 1108 Meijen, C., McCormick, A., Anstiss, P. A., & Marcora, S. M. (2021). “Short and sweet”:  
1109 A randomized controlled initial investigation of brief online psychological  
1110 interventions with endurance athletes. *The Sport Psychologist*, 36, 20-28.
- 1111 Meijen, C., Turner, M., Jones, M. V., Sheffield, D., & McCarthy, P. (2020). A theory of  
1112 challenge and threat states in athletes: a revised conceptualization. *Frontiers in*  
1113 *Psychology*, 11:126.

- 1114 Micklewright, D., Angus, C., Suddaby, J., St Clair Gibson, A., Sandercock, G., &  
1115 Chinnasamy, C. (2012). Pacing strategy in schoolchildren differs with age and  
1116 cognitive development. *Medicine and Science in Sports and Exercise*, 44(20),  
1117 362–369.
- 1118 Micklewright, D., Kegerreis, S., Raglin, J., & Hettinga, F. (2017). Will the conscious–  
1119 subconscious pacing quagmire help elucidate the mechanisms of self-paced  
1120 exercise? New opportunities in dual process theory and process tracing methods.  
1121 *Sports Medicine*, 47(7), 1231-1239.
- 1122 Micklewright, D., Papadopoulou, E., Parry, D., Hew-Butler, T., Tam, N., & Noakes, T.  
1123 (2009). Perceived exertion influences pacing among ultramarathon runners but  
1124 post-race mood change is associated with performance expectancy. *South*  
1125 *African Journal of Sports Medicine*, 21(4), 167-172.
- 1126 Micklewright, D., Papadopoulou, E., Swart, J., & Noakes, T. (2010). Previous  
1127 experience influences pacing during 20 km time trial cycling. *British Journal of*  
1128 *Sports Medicine*, 44(13), 952-960.
- 1129 Micklewright, D., Parry, D., Robinson, T., Deacon, G., Renfree, A., St Clair Gibson, A.,  
1130 & Matthews, W. J. (2015). Risk perception influences athletic pacing strategy.  
1131 *Medicine and Science in Sports and Exercise*, 47(5), 1026-1037.
- 1132 Mooneyham, B. W., & Schooler, J. W. (2013). The cost and benefits of mind-  
1133 wandering: a review. *Canadian Journal of Experimental Psychology*, 67, 11-18.
- 1134 Moore, I. S. (2016). Is there an economical running technique? A review of modifiable  
1135 biomechanical factors affecting running economy. *Sports Medicine*, 46, 793-807.

- 1136 Moore, I. S., Phillips, D. J., Ashford, K. J., Mullen, R., Goom, T., & Gittos, M. R. J.  
1137 (2019). An interdisciplinary examination of attentional focus strategies used  
1138 during running gait retraining. *Scandinavian Journal of Medicine and Science in*  
1139 *Sports*, 29(10), 1572-1582.
- 1140 Morales-Alamo, D., Losa-Reyna, J., Torres-Peralta, R., Martin-Rincon, M., Perez-  
1141 Valera, M., Curtelin, D., Ponce-González, J. G., Santana, A., & Calbet, J. A.  
1142 (2015). What limits performance during whole-body incremental exercise to  
1143 exhaustion in humans? *Journal of Physiology*, 593(20), 4631–4648.
- 1144 Morgan, W. P., & Pollock, M. L. (1977). Psychologic characterization of the elite  
1145 distance runner. *Annals of the New York Academy of Science*, 301(1), 382-403.
- 1146 Nicholls, A. R., Levy, A. R., Carson, F., Thompson, M. A., & Perry, J. L. (2016). The  
1147 applicability of self-regulation theories in sport: Goal adjustment capacities  
1148 stress appraisals coping and well-being among athletes. *Psychology of Sport and*  
1149 *Exercise*, 27, 47–55.
- 1150 Nietfeld, J. L. (2003). An examination of metacognitive strategy use and monitoring  
1151 skills by competitive middle distance runners. *Journal of Applied Sport*  
1152 *Psychology*, 15, 307-320.
- 1153 Oettingen, G., & Gollwitzer, P. M. (2010). Strategies of setting and implementing goals:  
1154 mental contrasting and implementation intentions. In J. E. Maddux, & J. P.  
1155 Tangney (Eds). *Social psychological foundations of clinical psychology*. New  
1156 York: Guilford Press. pp. 114-135.
- 1157 Ogles, B. M., & Masters, K. S. (2003). A typology of marathon runners based on cluster  
1158 analysis of motivations. *Journal of Sport Behavior*, 26(1), 69–85.

- 1159 Parry, D., Chinnasamy, C., & Micklewright, D. (2013). Optic flow influences perceived  
1160 exertion during cycling. *Journal of Sport and Exercise Psychology*, 34(4), 444-  
1161 456.
- 1162 Patrick, T. D., & Hrycaiko, D. W. (1998). Effects of a mental training package on an  
1163 endurance performance. *The Sport Psychologist*, 12, 283-299.
- 1164 Poczwadowski, A., Sherman, C. P., & Ravizza, K. (2004). Professional philosophy in  
1165 the sport psychology service delivery: Building on theory and practice. *The Sport*  
1166 *Psychologist*, 18, 445-463.
- 1167 Pollak, K. A., Swenson, J. D., Vanhaitsma, T. A., Huguen, R. W., Jo, D., White, A. T.,  
1168 Light, K. C., Schweinhardt, P., Amann, M., & Light, A. R. (2014). Exogenously  
1169 applied muscle metabolites synergistically evoke sensations of muscle fatigue  
1170 and pain in human subjects. *Experimental Physiology*, 99(2), 368-380.
- 1171 Pope, J. P., Stewart, N. W., Law, B., Hall, C. R., Gregg, M. J., & Robertson, R. (2015).  
1172 Knowledge translation of sport psychology to coaches: coaches' use of online  
1173 resources. *International Journal of Sports Science Coaching*, 10, 1055-1071.
- 1174 Renfree, A., Martin, L., Micklewright, D., & St Clair Gibson, A. (2014). Application of  
1175 decision-making theory to the regulation of muscular work rate during self-paced  
1176 competitive endurance activity. *Sports Medicine*, 44(2), 147-158.
- 1177 Scheerder J., Breedveld K., & Borgers, J. (2015) Who is doing a run with the running  
1178 boom? The growth and governance of one of Europe's most popular sport  
1179 activities. In J. Scheerder, K. Breedveld, J. Borgers (Eds). In running across  
1180 Europe. London: Palgrave Macmillan. pp. 1-27

- 1181 Scholz, U., Nagy, G., Schüz, B., & Ziegelmann, J. P. (2008). The role of motivational  
1182 and volitional factors for self-regulated running training: associations on the  
1183 between- and within- person level. *British Journal of Social Psychology*, 47,  
1184 421-439.
- 1185 Schüler, J., & Langens, T. A. (2007) Psychological crisis in a marathon and the  
1186 buffering effects of self-verbalizations. *Journal of Applied Social Psychology*,  
1187 37, 2319-2344.
- 1188 Senécal, J., Loughhead, T. M., & Bloom, GA. (2008). A season-long team-building  
1189 intervention: Examining the effect of team goal-setting on cohesion. *Journal of*  
1190 *Sport and Exercise Psychology*, 30, 186-199.
- 1191 Sheard, M., & Golby, J. (2006). Effect of a psychological skills training program on  
1192 swimming performance and positive psychological development. *International*  
1193 *Journal of Sport and Exercise Psychology*, 4(2), 149-69.
- 1194 Sheeran, P., & Webb, T. L. (2016). The intention–behavior gap. *Social and Personal*  
1195 *Psychology Compass*, 10(9), 503-518.
- 1196 Smirmaul, B. P., de Moraes, A. C., Angius, L., & Marcora, S. M. (2017). Effects of  
1197 caffeine on neuromuscular fatigue and performance during high-intensity  
1198 cycling exercise in moderate hypoxia. *European Journal of Applied Physiology*,  
1199 117(1), 27-36.
- 1200 Smith, A. L., Gill, D. L., Crews, D. J., Hopewell, R., & Morgan, D. W. (1995).  
1201 Attentional strategy use by experienced distance runners: physiological and  
1202 psychological effects. *Research Quarterly in Exercise and Sport*, 66, 142-150.

- 1203 Southward, K., Rutherford-Markwick, K. J., & Ali, A. (2018). Correction to: the effect  
1204 of acute caffeine ingestion on endurance performance: a systematic review and  
1205 meta-analysis. *Sports Medicine*, 48(10), 2425-2441.
- 1206 St Clair Gibson, A., Lambert, E. V., Rauch, L. H. G., Tucker, R., Baden, D. A., Foster,  
1207 C., & Noakes, T. D. (2006). The role of information processing between the  
1208 brain and peripheral physiological systems in pacing and perception of effort.  
1209 *Sports Medicine*, 36(8), 705-722.
- 1210 Staiano, W., Bosio, A., de Morree, H. M., Rampinini, E., & Marcora, S. (2018). The  
1211 cardinal exercise stopper: Muscle fatigue muscle pain or perception of effort?  
1212 *Progress in Brain Research*, 240, 175–200.
- 1213 Stanley, C., Pargman, D., & Tenenbaum, G. (2007). The effect of attentional coping  
1214 strategies on perceived exertion in a cycling task. *Journal of Applied Sport*  
1215 *Psychology*, 19, 352-363.
- 1216 Stanley, D. M., Lane, A. M., Beedie, C. J., Friesen, A. P., & Devonport, T. J. (2012).  
1217 Emotion regulation strategies used in the hour before running. *International*  
1218 *Journal of Sport and Exercise Psychology*, 10, 159-171.
- 1219 Swann, C., Hooper, A., Schweickle, M. J., Peoples, G., Mullan, J., Hutto, D., Allen, M.  
1220 S., & Vella, S. A. (2020). Comparing the effects of goal types in a walking  
1221 session with healthy adults: preliminary evidence for open goals in physical  
1222 activity. *Psychology of Sport and Exercise*, 47, 101475.
- 1223 Tatterson, A. J., Hahn, A. G., Martin, D. T., & Febbraio, M. A. (2000). Effects of heat  
1224 stress on physiological responses and exercise performance in elite cyclists.  
1225 *Journal of Science and Medicine in Sport*, 3, 186–193

- 1226 Taylor, I. M., Boat, R., & Murphy, S. L. (2018). Integrating theories of self-control  
1227 and motivation to advance endurance performance. *International Review of*  
1228 *Sport and Exercise Psychology*, 13(1),1-20.
- 1229 Tenenbaum, G., & Connolly, C. T. (2008). Attention allocation under varied workload  
1230 and effort perception in rowers. *Psychology of Sport and Exercise*, 9, 704-717.
- 1231 Tenenbaum, G., Spence, R., & Christensen, S. (1999). The effect of goal difficulty and  
1232 goal orientation on running performance in young female athletes. *Austalian*  
1233 *Journal of Psychology*, 51, 6–11.
- 1234 Terry, P. C., Karageorghis, C. I., Curran, M. L., Martin, O. V., & Parsons-Smith, R. L.  
1235 (2020). Effects of music in exercise and sport: A meta-analytic  
1236 review. *Psychological Bulletin*, 146(2), 91-117.
- 1237 The British Psychological Society (2019). *Standards for the accreditation of Masters &*  
1238 *Doctoral programmes in sport and exercise psychology*.  
1239 [https://www.bps.org.uk/sites/www.bps.org.uk/files/Accreditation/Sport%20and](https://www.bps.org.uk/sites/www.bps.org.uk/files/Accreditation/Sport%20and%20Exercise%20Accreditation%20Handbook%202019.pdf)  
1240 [%20Exercise%20Accreditation%20Handbook%202019.pdf](https://www.bps.org.uk/sites/www.bps.org.uk/files/Accreditation/Sport%20and%20Exercise%20Accreditation%20Handbook%202019.pdf)
- 1241 Thelwell, R. C., & Greenlees, I. A. (2001). The effects of a mental skills training  
1242 package on gymnasium triathlon performance. *The Sport Psychologist*, 5, 127-  
1243 141.
- 1244 Thelwell, R. C., & Greenlees, I. A. (2003). Developing competitive endurance  
1245 performance using mental skills training. *The Sport Psychologist*, 17, 318-337.
- 1246 Theodorakis, Y., Laparidis, K., & Kioumourtzoglou, E. (1998). Combined effects of  
1247 goal setting and performance feedback on performance and physiological

- 1248 response on a maximum effort task. *Perceptual and Motor Skills*, 86, 1035–  
1249 1041.
- 1250 Thompson, K., Maclaren, D., Lees, A., & Atkinson, G. (2003). The effect of even  
1251 positive and negative pacing on metabolic, kinematic and temporal variables  
1252 during breaststroke swimming. *European Journal of Applied Physiology*, 88(4),  
1253 438-443.
- 1254 Tucker, R., & Noakes, T. D. (2009). The physiological regulation of pacing strategy  
1255 during exercise: a critical review. *British Journal of Sports Medicine*, 43(6), e1.
- 1256 Uphill, M. A., & Jones, M. V. (2007). Antecedents of emotions in elite athletes.  
1257 *Research Quarterly in Exercise and Sport*, 78(2), 79-89.
- 1258 van der Linden, D. (2011). The urge to stop: The cognitive and biological nature of  
1259 acute mental fatigue. In P. L. Ackerman (Ed.), *Decade of Behavior/Science*  
1260 *Conference. Cognitive fatigue: Multidisciplinary perspectives on current*  
1261 *research and future applications* (p. 149–164). American Psychological  
1262 Association.
- 1263 Venhorst, A., Micklewright, D., & Noakes, T. D. (2018). Towards a three-dimensional  
1264 framework of centrally regulated and goal-directed exercise behaviour: a  
1265 narrative review. *British Journal of Sports Medicine*, 52(15), 957-966.
- 1266 Wallace, P. J., McKinlay, B. J., Coletta, N. A., Vlaar, J. I., Taber, M. J., Wilson, P. M.,  
1267 & Cheung, S. S. (2017). Effects of motivational self-talk on endurance and  
1268 cognitive performance in the heat. *Medicine and Science in Sports and Exercise*,  
1269 49, 191-199.



- 1270 Walton, G. M. (2014). The New Science of Wise Psychological Interventions. *Current*  
1271 *Directions in Psychology Science*, 23(1), 73–82.
- 1272 Webb, T. L., Schweiger Gallo, I., Miles, E., Gollwitzer, P. M., & Sheeran, P. (2012).  
1273 Effective regulation of affect: an action control perspective on emotion  
1274 regulation. *European Review of Social Psychology*, 23(1), 143–186.
- 1275 Weinberg, R. S. (1994). Goal setting and performance in sport and exercise settings.  
1276 *Medicine and Science in Sport and Exercise*, 26(4), 469-477.
- 1277 Westwood, C. S., Fallowfield, J. L., Delves, S. K., Nunns, M., Ogden, H. B., &  
1278 Layden, J. D. (2021). Individual risk factors associated with exertional heat  
1279 illness: A systematic review. *Experimental Physiology*, 106, 191-199.
- 1280 Zimmerman, B. J. (2000). Attaining self-regulation: a social cognitive perspective. In  
1281 M. Boekaerts, P. R. Pintrich, M. Zeidner (Eds). *Handbook of self-regulation*. San  
1282 Diego CA: Academic Press. pp. 13-39.
- 1283
- 1284

**Psychological Strategies to Resist Slowing Down or Stopping during Endurance Activity:  
An Expert Opinion Paper**

Appendix 1

**Appendix 1.** Descriptive overview of intervention studies relating to resisting slowing down or stopping

Intervention	Study	Participant information	Design overview	Endurance task	Intervention information	Outcome relating to resisting slowing down or stopping
Goal setting	Tenenbaum et al. (1999)	28 female, secondary-school, cross-country runners (age = $14.6 \pm 1.2$ ).	Pretest-posttest design with three experimental groups and no control. Ps were assigned by block randomisation.	Running  2.3 km run on a road course.	Assignment of an easy, challenging, or unrealistic combination of short-term and long-term goals (5%, 10%, or 15% improvement in four weeks, with weekly targets). Goals were private and assigned verbally on an individual basis.	Each group's best post-intervention performance was significantly faster than baseline ( $M = 7.8\%$ ). Improvements did not significantly differ between groups.
	Theodorakis et al. (1998)	40 university students ( $f = 23$ , $m = 17$ , age = $20.3 \pm 2.1$ ).	Pretest-posttest design with a control group.	Cycling  Incremental test on an ergometer.	Goal setting and performance feedback. Ps set a specific goal (orally and in writing) for improved performance. Elapsed time was displayed during performance.	The goal setting group showed a significantly greater increase in endurance performance ( $M = 12.3\%$ / $110.4$ s) compared to the control ( $M = 1.9\%$ ).
Motivational self-talk	Blanchfield et al. (2014)	24 recreationally trained individuals ( $f = 9$ , $m = 15$ , age = $24.6 \pm 7.5$ ).	Pretest-posttest design with a randomised control group.	Cycling  Time-to-exhaustion test on an ergometer.	Two-stage self-talk intervention delivered over two weeks using a workbook. Stage 1 = Introduction to self-talk and selection of four motivational self-talk statements. Stage 2 = Using self-talk during three or more exercise sessions.	Time to exhaustion significantly increased in the self-talk group ( $M = 17.9\%$ / $114$ s), but not in the control ( $-2.5\%$ ).

Motivational self-talk (continued)	Wallace et al. (2017)	18 trained cyclists (m = 14, f = 4, age range = 18-50).	Pretest-posttest design with a randomised control group.	Cycling  Time-to-exhaustion test on an ergometer in hot conditions.	Two-stage self-talk intervention delivered over two weeks using a workbook. Stage 1 = Introduction to self-talk, identification of their own negative self-talk, and selection of five motivational self-talk statements. Stage 2 = Using self-talk during three training sessions, over two weeks.	Self-talk significantly increased time-to-exhaustion by 39.4% (from 487 to 679 s). There was not a significant difference for the control group (from 531 to 510 s).
	Barwood et al. (2015)	14 recreationally-active males (age = $19 \pm 1$ ).	Pretest-posttest design with a control group. Ps were matched before assignment.	Cycling  10 km time trial on an ergometer.	One-hour classroom session with a structured workbook. Ps identified their negative self-talk statements and chose motivational statements to counter these with during each 2 km section. Ps rehearsed statements during the days and moments preceding each time trial.	Motivational self-talk significantly improved time-trial performance ( $M = 3.75\%$ ). Neutral self-talk did not ( $M = -1.30\%$ ).
	Hatzigeorgidis et al. (2018)	16 male sport science students (age = $22.5 \pm 4.9$ ).	Randomised, controlled, posttest-only experimental design.	Cycling  30 min constant duration test in hot conditions at a steady RPE.	Ps received a brief introduction on the use of self-talk strategies. Then they chose cues from a list of motivational cues typically used to boost motivation and effort, or they devised their own. Ps were asked to use self-talk every two minutes during the test.	Ps in the self-talk group produced significantly greater power output during the final third of the trial, compared to the control.

Motivational self-talk (continued)	McCormick et al. (2018)	29 ultramarathon runners (m = 25, f = 4, age = $39.3 \pm 8.4$ ).	Randomised, controlled, posttest-only experimental design.	Running  Self-supported, overnight, 60-mile ultramarathon.	Workbooks introduced self-talk, asked Ps to notice their self-talk and its impact, and choose four new statements to use during the ultramarathon. Ps practiced self-talk in training runs for approximately two weeks.	The difference in performance times was not statistically significant. The mean performance time of the self-talk group (824 minutes, SD = 97) was 12 minutes (1.44%) faster than the control group.
	de Matos et al. (2021)	21 recreational triathletes (m = 15, f = 6, age M = 32.7, age range = 21-47).	Pretest-posttest design with randomisation to one of two intervention groups.	Swimming  750 m swim in a 50 m pool.	The motivational group used four motivational sentences to improve effort, confidence, and psyching up. The instructional group used four sentences to improve focus, technique, and pace. A practitioner made the sentences based on reported dysfunctional thoughts, and distributed via printed guides and WhatsApp. Ps had 12 days to rehearse in training. Ps used sentences after dysfunctional thoughts.	Motivational self-talk led to a significant 2.8% improvement in 750 m swimming performance (from 821 to 797 s). Instructional self-talk did not lead to a statistically-significant effect (0.39% improvement, 799 to 796 s).
	Hardy et al. (2019)	16 recreationally active males (age = $22.0 \pm 3.0$ ).	Randomised, repeated-measures design.	Cycling  10 km time trial on an ergometer.	A workbook was used to raise Ps' awareness of their self-talk, and to change negative self-talk into motivational and positive self-talk. Ps used self-talk for each 2km stage and	Ps performed 2.2% faster (M = 1045 s) when in the second-person condition, compared to the first-person

					to counter negative self-talk. Self-talk was either in first person (e.g., “ <i>I</i> can tolerate this”) or second person (e.g., “ <i>You</i> can tolerate this”).	self-talk condition (M = 1068 s).
Motivational self-talk (continued)	Schüler and Langens (2007)	110 non-professional marathon runners (m=91, f=19).	Randomised, controlled, posttest-only experimental design.	Running  A real-life marathon.	Ps chose a self-verbalisation to use during the marathon, which was either their own or from a list that related to self-encouragement, anticipation of positive outcomes, and self-calming.	Ps who had a large ‘psychological crisis’ achieved significantly faster running times when they used self-verbalizations than when they did not use them. There was no difference for Ps who had a small ‘crisis’.
	DeWolfe et al. (2021)	93 university students (m = 53, f = 40, age 20.4 ± 2.4)	Between groups design with random assignment (with matching) to three experimental conditions and a neutral control.	Cycling  20-minute ‘do your best’ constant duration test.	Before the cycling task, Ps created ST statements with the researcher for their assigned condition. Self-talk was motivational (e.g., “Keep it up”), neutral (e.g., “The bike is red”), negative/discouraging (e.g., “My legs are tired”), or challenging (the same type of discouraging words as the negative group, but with a statement to embrace negative self-talk as a challenge, e.g., “My legs are tired, but I can push through it”).	The challenging self-talk group (M = 2.0 km; SD = 0.3) covered significantly greater distance than the negative ST group (M = 1.8 km; SD = 0.3) in time block four. No other significant differences were present between groups at the various time points.
Relaxation	Hatfield et al. (1992)	12 male intercollegiate cross-country	Counterbalanced repeated-measures design with two experimental	Running 3 x 12 min blocks of treadmill	Biofeedback: Ps were provided with ventilation and EMG biofeedback.	RPE was lower in the biofeedback (12.5 ± 0.5) and distraction (12.5 ± 0.7)

		runners (age = $22.2 \pm 1.3$ ).	conditions and a no-instruction control.	running just below ventilatory threshold.	Distraction: Ps were required to press a button on a hand-held device, timing the button press to coincide with the illumination of the final light in a series. Trials presented every 4s.	conditions than control ( $13.04 \pm 0.6$ ).
Relaxation (continued)	Brick et al. (2018)	24 club-level endurance runners (m = 13, f = 11, age $44.6 \pm 10.8$ ).	Randomised, repeated-measures design with three experimental conditions and a no-instruction control.	Running 4 x 6 min blocks on a treadmill at 70% of maximum oxygen uptake.	Brief instructions to focus on smiling, frowning, relaxing their hands and upper body, or no-instruction control.	RPE higher when frowning ( $12.29 \pm 1.88$ ), compared to smiling ( $11.25 \pm 1.94$ ) and relaxing ( $11.38 \pm 1.76$ ).  No differences in RPE between any other pairs of conditions.
Distractive strategies	Johnson and Siegel (1992)	44 college females (age = $21.3 \pm 4.9$ ).	Between groups design with random assignment to three experimental conditions and a control.	Cycling 15 minutes cycling at 60% of predicted maximum oxygen uptake.	Instruction given immediately before task performance.  Association: focus on physical symptoms.  Internal dissociation: recall names.  External dissociation: hold conversation.  Control: No instruction	RPE was significantly higher for association (15.4) than internal dissociation (12.0).  No difference in RPE between internal dissociation, external dissociation, and control.
	Stanley et al. (2007)	13 female exercisers (age = $20.1 \pm 1.75$ ).	Repeated-measures design with four sequential	Cycling 10 min bout at 75%	Internal association: Asked to focus on their form, breathing, perspiration, and how their muscles felt.	RPE was higher in internal ( $13.74 \pm 1.25$ , on 6-20 scale) and external ( $14.03 \pm 1.01$ ) associative conditions than

			experimental conditions.	maximum oxygen uptake.	Internal dissociation: Watched a self-selected video.  External association: Asked to focus on the ergometer digital readings.  External dissociation: Asked to pay attention to the gymnasium.	internal ( $12.95 \pm 1.46$ ) and external ( $12.95 \pm 0.91$ ) dissociative conditions. No difference between internal and external conditions.
Distractive strategies (continued)	Connolly and Janelle (2003) Study 1	8 female varsity rowers (age = $19.9 \pm 1.31$ ).	Counterbalanced, repeated-measures design.	Rowing.  20 min aerobic row at 'steady state' or '75% pressure'	Association: Instructed to focus on their breathing, body, and technique.  Dissociation: Instructed to focus on collages.	Ps rowed 1.9% further when using association (4369.8m) than dissociation (4286.5m). No significant difference between RPE (12.5 and 12.2 respectively, on 6-20 scale).
	Connolly and Janelle (2003) Study 2	22 varsity collegiate rowers (m = 10, f = 12, m age = $19.6 \pm 2.0$ , f age = $20.3 \pm 2.0$ ).	Counterbalanced, repeated-measures design.	Rowing.  2000 m anaerobic ergometer row at 160-180 heart rate.	Internal association: Instructed to focus on their breathing, technique, and body.  External association: Instructed to strategize and race against others.  Internal dissociation: Instructed to solve maths problems.  External dissociation: Instructed to watch a video.	Ps rowed significantly faster in the internal and external association conditions compared to baseline and the internal dissociation condition.  RPE was higher in the internal and external association conditions than baseline. There was no difference between the four attention conditions for RPE.



	LaCaille et al. (2004)	60 people who run (m = 22, f = 38, age = 26.8 ± 8.9).	A 3 x 2 x 2 mixed experimental design (exercise setting x cognitive strategy x gender)	Running 5km run	Exercise setting: treadmill, indoor track, and outdoor route.  Cognitive strategies: Association or dissociation. Association involved monitoring their heart rate, and dissociation involved listening to music.	The association group ran faster (26.1 ± 4.39 minutes versus 27.9 ± 3.94 minutes).  No overall differences in RPE between the cognitive strategies.
Multi-modal interventions	Barwood et al. (2008)	18 males (PST age = 23 ± 3, control age = 28 ± 5).	Pretest-posttest design with a control group. Ps were matched before random assignment.	Running 90 min treadmill constant duration test in hot conditions.	PST package to meet the demands of exercising in the heat. Four one-hour PST sessions were delivered in the four days preceding performance (goal setting, arousal regulation, mental imagery, and positive self-talk).	The PST group ran significantly farther (M = 8% / 1.15 km) after receiving the intervention. The control group ran similar distances in each trial.
	Patrick and Hrycaiko (1998)	3 triathletes of varying ability and 1 national-level runner (m = 4, age range = 25-37).	Single-subject, multiple-baseline design across participants.	Running 1.6 km run on a track.	PST package delivered on an individual basis over three days (relaxation, imagery, self-talk, and goal setting). Skills were presented in a self-teaching workbook that contained reading and exercises. The first two sessions lasted 90 minutes, and a third session was dedicated to answering questions.	All Ps improved their performance following the intervention.

	Sheard and Golby (2006)	36 national-level swimmers (f = 23, m = 13, age = 13.9 ± 2.0, age range = 10-18).	Pretest-posttest design without a control group. Ps' best competitive performance times were obtained pre-, post-, and one-month post-intervention.	Swimming  Competition performances for different strokes and distances.	PST program. Five weekly sessions were conducted on a one-to-one basis (goal setting, visualisation, relaxation, concentration, and thought stopping). Each session was personalised and lasted 45 minutes.	Performance time was significantly faster in one out of five endurance events post-intervention. Performance times were significantly faster in two endurance events one-month post-intervention.
Multi-modal interventions (continued)	Thelwell and Greenlees (2001)	5 male members of a gymnasium (age = 24.2 ± 4.6).	Single-subject, multiple-baseline design across participants.	Gymnasium triathlon  2 km row, 5 km cycle, 3 km run.	PST package delivered on a one-to-one basis over four consecutive days (goal setting, relaxation, imagery, and self-talk). Each session lasted up to one hour and included education, workbook exercises, and homework.	All Ps improved their performance (M = 32.6 s improvement) following the intervention.
	Thelwell and Greenlees (2003)	4 male members of a gymnasium (age range = 19-21).	Single-subject, multiple-baseline design across participants.	Gymnasium triathlon  2 km row, 5 km cycle, 3 km run.	See Thelwell and Greenlees (2001).	All Ps improved their performance (M = 7.5% / 81 s) following the intervention.
If-then planning	Lane et al. (2016)	147 distance runners (m = 53, f = 94, age = 40.5 ± 9.1).	Randomised, controlled, pretest-posttest design with	Running  Self-chosen run, while	Ps made two personalized if-then plans, with an emotion regulation goal. They had two weeks to use their strategies in training.	Neither intervention had a significant effect on performance.

---

two experimental groups and a control.	pursuing a goal.	A second group set emotion-focused goals.
-------------------------------------------	---------------------	----------------------------------------------

---

*f* number of female participants, *m* number of male participants, *M* mean, *P(s)* participant(s), *PST* psychological skills training, *RPE* rating of perceived effort,  $\pm$  mean  $\pm$  standard deviation. Note: Table most recently updated June 2021. The studies included in this table represent the evidence-base of intervention studies cited within the manuscript with an outcome relevant to slowing down or stopping, such as performance during self-paced time trials, exercise time to exhaustion, or perception of effort during fixed-pace tasks.

2

3