



Modelling Temporal Diffusion of PV Microgeneration Systems in Rural Western Kenya

Opiyo, N. (2016). *Modelling Temporal Diffusion of PV Microgeneration Systems in Rural Western Kenya*. Poster session presented at 32nd European Photovoltaic Solar Energy Conference, Munich, Bavaria, Germany.

[Link to publication record in Ulster University Research Portal](#)

Publication Status:

Published (in print/issue): 24/06/2016

Document Version

Publisher's PDF, also known as Version of record

General rights

The copyright and moral rights to the output are retained by the output author(s), unless otherwise stated by the document licence.

Unless otherwise stated, users are permitted to download a copy of the output for personal study or non-commercial research and are permitted to freely distribute the URL of the output. They are not permitted to alter, reproduce, distribute or make any commercial use of the output without obtaining the permission of the author(s).

If the document is licenced under Creative Commons, the rights of users of the documents can be found at <https://creativecommons.org/share-your-work/licenses/>.

Take down policy

The Research Portal is Ulster University's institutional repository that provides access to Ulster's research outputs. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact pure-support@ulster.ac.uk

Modelling Temporal Diffusion of PV Microgeneration Systems in Rural Western Kenya




UNIVERSITY OF LEEDS

Nicholas N. Opiyo, Peter G. Taylor, Rolf Crook

School of Chemical and Process Engineering, University of Leeds, Leeds, LS2 9JT: elno@leeds.ac.uk

Introduction

Development of electricity delivery infrastructures are path-dependent with each development decision and step affecting subsequent steps and the final outcome. The main factors that influence choices of technology used in rural electrification are resource availability, cost, demand, social acceptance, and government policies (subsidies). An agent-based model (ABM) is developed in Netlogo and used to simulated how socio-economic factors affect diffusion of PV microgeneration systems in a rural developing community. Survey data from Kendu Bay, Kenya, are used to build the model.



Idea to install PV (PV_{Idea}) is developed given factors such as cost, subsidies, and neighbourhood influence as,

$$PV_{Idea} = \sum_{i=1}^n W_i F_i,$$


where n is the total number of factors and W_i is the weight associated with each factor F_i .

Decision to install PV returns true if

$$\frac{H_{PV-SR}}{H_{Total-SR}} \times 100\% > NT,$$

where H_{PV-SR} is the number of houses with PV within a given sensing radius (SR) or neighbourhood, $H_{Total-SR}$ is the total number of houses within the same sensing radius, and NT is neighbourhood threshold. After a cost analysis, PV is installed if it is cheaper than other available electrification options

Methodology



Algorithm of Simulation Sequences

Develop idea to connected to communal a grid ($Cgrid_{Idea}$) given factors such as cost, subsidies, and neighbourhood influence.

$$Cgrid_{Idea} = \sum_{i=1}^n W_{ig} F_{ig},$$



where n is the total number of factors and W_{ig} is the weight associated with each factor F_{ig} .

Decision to connect to communal grid returns true if


$$\frac{H_{CGRID-SR}}{H_{Total-SR}} \times 100 > T_{CGRID-SR},$$

where $H_{CGRID-SR}$ is the number of houses with PV within a given grid sensing radius that meet the power-threshold, $H_{Total-SR}$ is the total number of houses within the same sensing radius, and $T_{CGRID-SR}$ is the communal grid neighbourhood threshold.

Houses installing PV, and correspondingly forming or joining communal grids increase with increasing neighbourhood influence as shown below [2].





Results



View of Landscape After Simulations:

Black houses are those without PV, white (star) houses are thinking of installing PV, yellow (triangle) houses have PV, red (square) houses are thinking joining of communal grids, blue (circle) connected to communal grids through grey links (grid lines).

Houses installing PV, and correspondingly forming or joining communal grids increase with increasing subsidies as shown in the figure below [2].



Conclusion: Introduction of favourable government policies in forms of subsidies, coupled with increasing social acceptance would lead to increased PV installations, and subsequent communal grids connections, in a given rural developing community.

References:

- [1] Zhao, J., Mazhari, E., Celik, N., Son, Y., *Hybrid Agent-Based Simulation for Policy Evaluation of Solar Power Generation Systems*, *Simulat Pract Theory* **19**: 2189-2205, 2011
- [2] Opiyo, N., Crook, R., Taylor, P. G., *A Survey Informed PV-Based Cost-Effective Electrification Options for Rural Sub-Saharan Africa*, *Energy Policy* **91**: 1-11, 2016